AD	\
MU	

State University of New York at Platisburgh Auditory Research Laboratories

Report No. ARL 86-2

The Effects of Blast Trauma (Impulse Noise) on Hearing: A Parametric Study

Final Report Part 2

Roger P. Hamernik William A. Ahroon George A. Turrentine

July 21, 1988



Supported by


U.S. Anny Medical Research and Development Command Fort Detrick, Frederick, Maryland 21701-5012

Grant No. DAMD17-83-G 9555

Callier Center for Communication Disorders
The University of Texas at Dallas
Dallas, Texas 75235

Approved for public release; distribution is unlimited

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.



ABSTRACT

There are three broad goals to this project. The first and primary goal is to begin the systematic development of a data base from which one could estimate the hazards to hearing resulting from exposure to blast waves or other high level To achieve this primary objective the following two impulse noise transients. objectives must first be achieved: (1) to develop a methodology to efficiently acquire data on a large number of experimental animals that have been exposed to a variety This includes audiometric, histological and acoustic of blast wave configurations. variables; (2) to develop a set of blast wave simulation devices which can reliably generate blast waves with a variable distribution of spectral energy in a laboratory This report will describe progress that was achieved on each of these objectives.) Before the project termination, data acquisition was completed on 70 chinchillas that were exposed to one of a series of very low frequency (125 Hz) energy-content blast wave exposure paradigms. This data represents part of the first of four phases of a parametric study that was designed to estimate the contributions of individual blast wave exposure variables on the production of hearing loss. Hearing function was measured using the auditory evoked potential (AEP) technique. The evaluation of hearing consisted of pre- and postexposure measurements of pure tone thresholds and tuning curves (masked thresholds).' Quantitative and qualitative data on each experimental cochlea was obtained from the traditional surface preparation technique. The objective of this approach was to correlate the exposure variables with functional and morphological indices of trauma. The blast waves used in this first study were generated using a conventional compressed air-driven shock The following blast wave parameters were studied:

- 1. Intensity of the blast wave. The intensity was characterized by the peak sound pressure level of the initial positive over pressure, and by the total energy (J/m²) of the exposure. Three intensities were used; 150, 155, and 160 dB peak SPL.
- 2. Inter-stimulus interval (ISI) i.e., the effects of repetition rate. Rates of 1/m, 10/m, and 1/10m were used.
- 3. Total number of impulses (N), where N = 1, 10 and 100.

The original goals of the project were not completed because the principal investigator moved from the University of Texas at Dallas to the State University of New York at Plattsburgh. Of the 21 groups specified in the original project, 13 were completed before moving. This report includes the raw data collected for those 13 groups. The remaining eight groups will be completed at the State University of New York at Plattsburgh (DAMD17-86-C-6172) and a final summary report will contain a detailed analysis of the data from all 21 groups.

oups.
Accession For
NTIS GRANT BY
Unit repried
June 1 1120
A
taj (KT)
الما المام الم
Arr is briatly Chara
D3 12 C. 33.2
0-1

REPORT DOCU	MENTATIO	N PAGE			Form Approved OMB No 0704-0188 Exp. Date: Jun 30, 1986	
1a. REPORT SECURITY CLASSIFICATION unclassified		16 RESTRICTIVE MARKINGS				
2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release;				
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			ion unlimi		= ,	
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING	ORGANIZATION R	EPORT NUA	ABER(S)	
ARL 86-2						
	FICE SYMBOL applicable)	7a. NAME OF MO	ONITORING ORGA	NIZATION		
6c. ADDRESS (City, State, and ZIP Code)		7b. ADDRESS (Cit	y, State, and ZIP	Code)		
The University of Texas at Dallas Dallas, TX 75235					&	
ORGANIZATION U.S. Army Medical (if	FICE SYMBOL applicable)		I INSTRUMENT ID	ENTIFICATIO	N NUMBER	
Research and Development Cmd.		DAMD17-83-				
8c. ADDRESS (City, State, and ZIP Code) Fort Detrick		PROGRAM	UNDING NUMBER	TASK	WORK UNIT	
Frederick, MD 21701-5012		ELEMENT NO.	NO.	NO.	ACCESSION NO	
11. TITLE (Include Security Classification)		<u> </u>		L		
The Effects of Blast Trauma (Impul	se Noise)	on Hearing:	A Parameti	ric Stud	ly (u)	
12. PERSONAL AUTHOR(S) Hamernik, Roger P.	Ahroon,	William A.	Turrenti	ne, Geor	ge A.	
13a. TYPE OF REPORT 13b. TIME COVERED FROM 9/15/83	то <u>12/31/8</u> 5	14. DATE OF REPOR 1988 July		Day) 15. F	AGE COUNT 454	
16. SUPPLEMENTARY NOTATION Part 2 of 2						
17: COSATI CODES 18. SU	IBJECT TERMS (C	Continue on reverse	if necessary and	identify by	block number)	
	last Traum	a Im	pulse Noise	2	Hearing	
	A 3					
19. ABSTRACT (Continue on reverse if necessary and idea	ntify by block n	umber)				
See part 1						
			€			
			•			
·						
·						
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT		21 ABSTRACT SEC		TION		
	DTIC USERS	unclassi:		220 DEE	E SYMBOL	
223. NAME OF RESPONSIBLE INDIVIDUAL MARY FRANCES BOSTIAN 83. APR edition	may be used unt	226 TELEPHONE (II 301-663-73		SGRD-		

Appendix

Individual and Group Statistics from:

The Effects of Blast Trauma (Impulse Noise) on Hearing: A Parametric Study

Part 2

Summary Data for the Group Exposed to:

155 dB, 100X, 10/M

Animal

Protocol	Entire	the	Completed	-	1880
Protocol	Entire	the	Completed		1922
Protocol	Entire	the	Completed	~	1927
Protocol	Entire	the	Completed	_	1945
Protocol	Entire	the	Completed	-	1949
Protocol	Entire	the	Completed	-	1953

Accession	For	1
NTIS 37.	ķΙ	
DTLC TAB		
Unvan alic	ع ر	
Ju-''i	ut on_	
By		
Distribut	10n/	
Availebi	lity	Cods3
'AV's	J ().	./OF
Dist	31 8]	L
by/	The second second second	

155 dB 100X 10/M

PRE-EXPOSURE THRESHOLDS (dB SPL)

Animal\	kHz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1880	10.8	5.8	15.8	7.5	0.8	9.2	****
1922	14.2	2.5	15.8	2.5	7.5	14.2	****
1927	9.2	9.2	17.5	17.5	27.5	17.5	****
1945	19.2	7.5	7.5	5.8	19.2	10.8	****
1949	4.2	-0.8	9.2	14.2	30.8	35.8	****
1953	12 5	5.8	7.5	-2.5	10.8	10.8	****
Mean	11.7	5.0	12.2	7.5	16.1	16.4	****
S.D.	5.0	3.6	4.6	7.4	11.8	10.0	****

POST-EXPOSURE THRESHOLDS (dB SPL)

Animal\kH	Iz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1880	44.2	54.2	57.5	49.2	57.5	75.8	****
1922	4.2	5.8	17.5	-5.5	15.8	22.5	****
1927	25.8	12.5	20.8	5.8	19.2	20.8	****
1945	19.2	9.2	12.5	4.2	24.2	5.8	****
1949	40.8	42.5	49.2	37.5	44.2	42.5	****
1953	27.5	37.5	42.5	2.5	22.5	25.8	****
Mean	26.9	26.9	33.3	15.6	30.6	32.2	****
S.D.	14.6	20.3	18.8	22.1	16.5	24.4	****

PERMANENT THRESHOLD SHIFT (dB)

Animal\k	Hz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1880	33.3	48.3	41.7	41.7	56.7	66.7	****
1922	-10.0	3.3	1.7	-8.0	8.3	8.3	****
1927	16.7	3.3	3.3	-11.7	-8.3	3.3	****
1945	0.0	1.7	5.0	-1.7	5.0	-5.0	****
1949	36.7	43.3	40.0	23.3	13.3	6.7	****
1953	15.0	31.7	35.0	5.0	11.7	15.0	****
Mean	15.3	21.9	21.1	8.1	14.4	15.8	****
S.D.	18.2	21.7	19.6	20.6	22 1	25.8	****

155 dB 100X 10/M
TEMPORARY THRESHOLD SHIFT (dB)

	Fr	equency	0.5	kHz			
Animal\H:	. 0	2	8	24	240	Max	
1880 1922 1927 1945 1949 1953		23.3 78.3		33.3 8.3 78.3	18.3 8.3 43.3	76.7 48.3 38.3 28.3 78.3 70.0	
Mean S.D.	52.5 24.7	48.3 24.5	48.3 23.2	41.7 28.0			
	Fr	equency	2.0	kH2			
Animal\Hr	. 0	2	8	24	240	Max	
1922 1927	71.7 46.7 25.0 30.0 73.3 70.0	72.2* 21.7 15.0 40.0 78.3 75.0	21.7 10.0	6.7 10.0 15.0 73.3	6.7 5.0 10.0		
Mean S.D.	52.8 21.9	50.4 28.5		40.3 32.8			
	Fre	equency	8.0	kHz.			
Animal\Hr	0	2	8	24	240	Max	
1922 1927 1945 1949		45.0 15.0	45.0 -10.0	-5.0 28.3	-5.0 3.3	75.0 35.0 68.3	
	65.6 18.9	57.2 24.6	53.1 33.7	37.2 31.0	15.3 24.4	66.4 18.3	

MASKED THRESHOLDS (dB SPL) Group: 155 dB $100 \times 10/M$

kHz
0.5
Frequency:
Probe

MASKED THRESHOLDS (dB SPL) Group: 155 dB $100 \times 10/M$

Probe Frequency: 1.0 kHz

2.500		87.5 82.5 67.5 82.5	80.8 6.8		82.5 72.5 72.5 72.5 72.5 75.8
1.900		77.5 47.5 77.5 77.5 67.5	66.7 13.6		77.5 57.5 72.5 72.5 67.5 68.3
1.700		67.5 47.5 52.5 57.5 47.5	56.7 9.2		87.5 52.5 72.5 42.5 67.5 67.5 15.7
1.300		37.5 32.5 32.5 27.5 37.5	32.5 4.5		77.5 32.5 47.5 27.5 67.5 52.5 19.4
1.050		42.5 17.5 27.5 22.5 17.5 22.5	25.0 9.4	u	47.5 32.5 32.5 77.5 47.5 20.0
0.800	Pre-Exposure	22.5 22.5 22.5 32.5 27.5	25.8	Post-Exposure	44.2 19.4
0.550	Pre-	52.55 52.55 52.55 52.55 52.55 52.55	47.5	Post	82.5 37.5 52.5 57.5 57.5 15.8
0.400		57.5 62.5 57.5 57.5	3.2		67.5 67.5 67.5 67.5 67.5 9.5
0.200		72.5 77.5 77.5 77.5 77.5	76.7		82.5 62.5 77.5 72.5 82.5 77.5 75.8
0.150		67.5 72.5 77.5 72.5 82.5	75.0		82.5 67.5 82.5 72.5 77.5 77.5
	(Q-10 dB)	(3.16) (2.24) (1.26) (1.84) (2.10)	(2.14)	Animal (Q-10 dB)	(6.25) (1.18) (2.55) (0.92) (2.46) (0.92) (2.38) (2.38)
Masker (kHz):	Animal (1880 1922 1927 1945 1949	Mean S.D.	Animal	1880 1922 1927 1945 1949 1953 Mean S.D.
			1		1

MASKED THRESHOLDS (db SPL) Group: 155 db $100 \text{X} \cdot 10 \text{/M}$

Probe Frequency: 2.0 kHz

Masker (kHz):	(kHz):	0.300	0.750	006.0	1.300	1.700	2.050	2.200	3.000	3.500	4.000	
Animal	Animal (Q-10 dB	_			Pre-	Pre-Exposure	4.					
1880 1922 1927 1945 1949 1953	(1.78) (1.02) (0.62) (1.52) (2.17) (1.58)	77.5 67.5 77.5 77.5 62.5	47.5 47.5 42.5 57.5 57.5	24.02 27.74 20.77 20.77 20.00	57.5 32.5 32.5 37.5 37.5	42.5 32.5 27.5 32.5 32.5	222.5 222.5 222.5 222.5 222.5 222.5 222.5	47.5 37.5 37.5 27.5 27.5	57.5 42.5 42.5 37.5 32.5	82.5 57.5 67.5 57.5	82.5 82.5 82.5 82.5 82.5	
Mean S.D.	(1.45) (0.55)	73.3	47.5	37.5 5.5	45.0	32.5 5.5	30.8	35.8 7.5	41.7	60.8 12.5	81.7 2.0	,
Animal	(Q-10 dB)	_			Post	Post-Exposure	φ					
1880 1922 1927 1945 1949 1953	(2.31) (4.09) (5.24) (2.28) (1.89) (6.00)	77.5 67.5 67.5 77.5 67.5	77.5 42.5 37.5 47.5 67.5	77.5 42.5 37.5 37.5 52.5	77.5 42.5 37.5 57.5 57.5	77.5 32.5 32.5 47.5 62.5	82.5 22.5 22.5 47.5 52.5	82.5 32.5 27.5 32.5 57.5 57.5	72.5 27.5 37.5 42.5 52.5 47.5	82.5 37.5 47.5 62.5 47.5	82.5 47.5 77.5 82.5 62.5 52.5	1
Mean S.D.	(3.64) (1.74)	72.5	55.0 15.4	50.8 15.4	50.0 16.4	46.7 19.9	40.8	48.3	46.7	51.7	67.5 15.5	

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100% 10/M

Probe Frequency: 4.0 kHz

4.100 4.500 5.000 5.600 6.000	22.5 37.5 42.5 57.5 72.5 7.5 17.5 27.5 37.5 47.5 27.5 37.5 47.5 62.5 82.5 22.5 32.5 47.5 67.5 77.5 37.5 47.5 82.5 77.5 87.5 12.5 22.5 37.5 67.5 67.5	21.7 32.5 47.5 60.0 72.5 10.7 11.0 18.7 13.3 14.1	77.5 87.5 62.5 82.5 82.5 17.5 37.5 37.5 32.5 57.5 22.5 ***** 22.5 57.5 77.5 27.5 37.5 57.5 67.5 67.5 37.5 52.5 62.5 72.5 12.5 42.5 67.5 77.5 82.5	32.5 51.5 51.7 65.0 73.3
3.000 3.500 Pre-Exposure	37.5 32.5 42.5 22.5 47.5 32.5 42.5 22.5 57.5 47.5 32.5 17.5	43.3 29.2 8.6 10.8 Post-Exposure	52.5 77.5 32.5 32.5 32.5 22.5 42.5 22.5 52.5 52.5 52.5 57.5 57.5	47.5 37.5
2.200	.5 62.5 52.62 52.53 52.53 52.53	2 64.2 2 9.8	622.5 622.5 622.5 622.5 627.5 627.5	.2 65.8
0.450 1.300	82.5 62. 82.5 52. 77.5 57. 77.5 57.	78.3 54. 3.8 5.	62.5 72. 77.5 67. 77.5 57. 77.5 52. 82.5 57.	80.0 64.
Masker (kHz): Animal (O-10 dB)	1880 (4.76) 1922 (5.06) 1927 (3.49) 1945 (2.78) 1949 (4.10) 1953 (3.49)	Mean (3.95) S.D. (0.86) Animal (Q-10 dB)	1880 (6.19) 1922 (6.77) 1927 (3.18) 1945 (3.32) 1949 (4.76) 1953 (5.62)	Mean (4.97)

MASKED THRESHOLDS (dB SPL) Group: 155 dB $100 \times 10/M$


Probe Frequency: 8.0 kHz

		!			İ	
14.000		87.5 82.5 82.5 82.5 47.5	77.5		82.5 82.5 77.5 82.5 82.5	81.7
12.700		77.5 72.5 77.5 7.5 67.5 32.5	65.0 17.0		77.5 72.5 77.5 77.5 82.5	78.3
11.000		47.5 57.5 67.5 67.5 27.5	54.2		67.5 67.5 52.5 67.5 67.5	62.5
9.300		32.5 27.5 42.5 32.5 47.5 27.5	35.0 8.2		522.5 522.5 472.5 67.5	50.0
8.100		17.5 2.5 42.5 42.5 32.5 27.5	27.5	ç	22.5 22.5 37.5 47.5	42.5
7.000	Pre-Exposure	32.5 12.5 27.5 22.5 22.5	30.0	Λ	82.5 27.5 32.5 37.5 47.5	42.5
5.900	Pre	32.5 32.5 37.5 32.5 32.5 5	41.7	Post	82.5 42.5 37.5 37.5	50.0
2.500		77.5 67.5 67.5 62.5 52.5	60.8		82.5 57.5 57.5 62.5 57.5	62.5
1.300		82.5 67.5 62.5 62.5			82.5 62.5 62.5 62.5 67.5	65.8
0.450	_	87.5 77.5 87.5 82.5 82.5	80.	3	87.5 77.5 82.5 82.5	82.
(kHz):	Animal (Q-10 dB	(5.29) (5.19) (1.35) (3.86) (4.31)	(3.50)	(Q-10 dB)	(****) (3.02) (2.75) (1.17) (2.03)	(2.43) (0.83)
Masker (kHz):	Animal	1880 1922 1927 1945 1949	Mean S.D.	Animal	1880 1922 1927 1945 1949	Mean S.D.

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100X 10/M

				Pro	Probe Freq	Frequency:	11.2 kHz	101			
Masker	Masker (kHz):	1.000	4.000	7.000	9.000	11.000	11.500	12.000	13.000	14.500	16.000
Animal	Animal (Q-10 dB)	3			Pre	Pre-Exposure	v				
1880	(10.55)	*0.06 (52.5	47.5	•	•		•	42.5		•
1922	(5.95)	-	42.5	47.5	•			•	37.5		
1927	(5.75)	છ	47.5	47.5	•	•			47.5		
1945	(4.24)	œ	42.5	57.5		•			42.5		
1949	(0.97)	6	62.5	47.5	•			•	52.5		•
1953	(11.48)	ώ	42.5	47.5	47.5	27.5	17.5	27.5	27.5	52.5	52.5
Mean	(6.49)	72.9	48.3	49 2	50.0	35.0	33.3		41.7	62.5	70.8
S.D.	(3.94)	11.2	ა. 8	•	6.9	11.7	13.6	11.6	8.6	8.9	6.3
Animal	(Q-10 dB)	<u>~</u>			Pos	Post-Expcsure	อ				
1880	(1.40)	82.5	82.5	•		87.5	•				
1922	(5.75)	67.5	47.5	47.5	57.5	37.5	27.5		• •		•
1927	(6.50)	57.5	47.5	•		32.5		•	•		
1945	(3.26)	57.5	32.5	•	•	17.5			•		• •
1949	(0.70)	62.5	52.5	•		47.5					
1952	(3.30)	57.5	47.5	•	•	17.5	•	17.5	17.5	47.5	62.5
Mean	(3.99)	64.2	51.7	48.3	50.0	40.0	39.2	40.0	43.0	8 09	62.3
S.D.	(3.23)	9.9	16.6	13.2	18.9	26.0	26.4	27.5	24.2	, C	10.0

The Group Mean Recovery Curves
Measured at Three Test Frequencies





The Group Mean Permanent Threshold Shift (PTS)


for all Test Frequencies


The Pre and Postexposure Tuning Curves for Individual Animals in this Exposure Group.


The solid symbol represents the threshold of the probe tone.
































SHOCK TUBE EXPOSURE 155 dB, 100X, 10/MIN

TOTAL NUMBER OF COCHLEAR SENSORY CELLS MISSING

ANIMAL NUMBER	INNER HAIR CELLS	1ST ROW OUTER HAIR CELLS	2ND ROW OUTER HAIR CELLS	3RD ROW OUTER HAIR CELLS	TOTAL OUTER HAIR CELLS
R1880R	108	2235	2146	1696	6077
R1922R	27	104	134	142	380
R1927R	56	586	517	495	1598
R1945R	68	85	122	163	370
R1949R	138	1342	1521	1412	4275
R1953R	116	551	632	975	2208
GROUP MEAN S.D.	86 42				2485 2275

TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND LENGTHS OF THE COCHLEA CENTERED AT THE FREQUENCIES INDICATED

OCTAVE CENTI FREQUI	ER	INNER HAIR CELLS	OUTER HAIR CELLS
GROUP MEANS			
2 4 8	kHz	2.8 4.8 7.0 38.0 5.5 9.0 14.3 4.0	64.8 139.2 348.2 459.2 414.8 366.8 440.5 242.0
STANDARD DEVIATIONS			
2 4 8	kHz	2.4 6.0 9.8 42.5 8.1 12.9 22.7 3.8	24.1 141.2 301.2 493.5 467.4 463.7 390.9 364.7


TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND FREQUENCIES


		INNER HAIR CELLS	1st ROW OUTER HAIR CELLS	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIR CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS
CHI	NCHILLA	A R1880F	1					
1 2 4 8	kHz kHz kHz kHz kHz kHz kHz	1 1 2 57 12 14 16 5	8 252 327 302 341 339 341 310	18 132 314 334 341 341 341 310	48 33 43 250 341 314 341 310	74 417 684 886 1023 994 1023 930	0 0 5 112 10 29 44 2	1 0 5 120 61 54 114 11
CHII	NCHILL#	A R1922F	ı					
1 2 4 8		7 16 4 0 0 0 0	2 40 29 3 0 1 28	14 44 38 5 2 1 26 4	25 48 33 3 2 0 27 4	41 132 100 11 4 2 81 8	0 22 7 0 0 0 0	4 26 26 0 0 0
TOT		27	104	134	142	380	29	56
CHI	NCHILLA	R1927R						
1 2 4 8		4 2 27 1 0 6 5	24 52 262 11 33 28 68 106	24 13 253 11 19 15 47	49 16 232 6 15 12 26 138	97 81 747 28 67 55 141 377	0 1 62 1 0 0 1	0 0 72 0 3 0 0
TOTA	ALS	56	586	517	495	1598	65	75


A267


	то	TAL S	ENSORY CEL	L LOSSES C	VER OCTAV	E BAND	FREQUENCI	ES
		INNER HAIR CELLS	HAIR	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIR CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS
CHIN	ICHILL	A R194	5R					
2 4 8	kHz	1 0 4 0 1 1 59 2	4 3 1 3 1 2 65 6	6 3 17 19 7 0 65 5	26 11 14 7 15 6 73	36 17 32 29 23 8 203 22	2 1 0 0 0 0 0 21	1 0 0 0 0 0 23 2
TOTA	ALS	68	85	122	163	370	24	26
CHI	ICHILL	A R194	9R					
2 4 8	kHz	1 7 2 84 1 33 6 4	6 29 132 368 330 277 195	11 25 94 367 332 335 341 15	41 45 90 358 281 305 285 7	58 99 316 1093 943 917 821 25	0 5 5 183 5 83 7 6	1 8 62 194 22 86 4
TOTA	ALS	138	1342	1521	1412	4275	288	377
CHI	NCHILL	A R195	53R					
1 2 4 8		3 3 86 19 0 0	6 16 67 223 127 38 64	28 15 73 238 139 72 100 17	49 58 70 247 163 115 210 63	83 89 210 708 429 225 374 90	0 2 0 171 28 1 0	1 1 1 122 22 2 6 0
TOT	ALS	116	551	682	975	2208	202	155


Cochleograms and PTS Audiograms for Individual Animals














Summary Data for the Group Exposed to:

155 dB, 100x, 1/M

Animal	#	
1746	-	Completed the Entire Protocol
1826		Completed the Entire Protocol
1854	~	No postexposure Tuning Curve Collected
1866	-	Completed the Entire Protocol
1868	-	Completed the Entire Protocol
1887	_	Completed the Entire Protocol

155 dB 100x 1/M

PRE-EXPOSURE THRESHOLDS (dB SPL)

Animal\k	Hz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1746	17.5	12.5	15.8	4.2	25.8	27.5	****
1826	15.8	9.2	17.5	10.8	27.5	20.8	****
1854	20.8	10.8	14.2	9.2	19.2	20.8	****
1866	15.8	5.8	14.2	7.5	19.2	19.2	****
1868	10.8	4.2	4.2	-1.7	20.8	17.5	****
1887	15.8 	9.2	17.5	0.0 	5.8	12.5	*****
Mean	16.1	8.6	13.9	5.0	19.7	19.7	****
S.D.	3.2	3.1	5.0	5.1	7.7	4.9	****

POST-EXPOSURE THRESHOLDS (dB SPL)

A	nimal\k	iz 0.5	1.0	2.0	4.0	8.0	11.2	16.0	
	1746	30.8	39.2	40.8	24.2	35.8	35.8	****	
	1826	39.2	32.5	37.5	22.5	37.5	35.8	****	
	1854	19.2	14.2	19.2	17.5	14.2	27.5	****	
	1866	14.2	7.5	9.2	5.0	2.5	12.5	****	
	1868	20.8	22.5	20.8	-5.8	27.5	9.2	****	
	1887	24.2	35.8	34.2	14.2	25.8	17.5	****	
-	Mean	24.7	25.3	26.9	12.9	23.9	23.1	****	
	S.D.	9.0	12.7	12.4	11.4	13.4	11.7	****	

PERMANENT THRESHOLD SHIFT (dB)

Animal\kH	z 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1746	13.3	26.7	25.0	20.0	10.0	8.3	****
1826	23.3	23.3	20.0	11.7	10.0	15.0	****
1854	-1.7	3.3	5.0	8.3	-5.0	6.7	****
1866	-1.7	1.7	-5.0	-2.5	-16.7	-6.7	****
1868	10.0	18.3	16.7	-4.2	6.7	-0.3	****
1887	8.3	26.7	16.7	14.2	20.0	5.0	****
Mean	8.6	16.7	13.1	7.9	4.2	3.3	****
S.D.	9.5	11.4	11.0	9.5	13.0	9.1	****

155 dB 100X 1/M
TEMPORARY THRESHOLD SHIFT (dB)

	Fre	equency	0.5 k	Hz			
Animal\H	. 0	2	8	24	240	Max	
1746 1826 1854 1866 1868	70.0 66.7 41.7 -3.3 66.7 56.7	65.0 61.7 31.7 -8.3 66.7 61.7	35.0 41.7 16.7 -3.3 66.7 36.7	65.0 41.7 21.7 -3.3 31.7 21.7		70.0 66.7 41.7 -3.3 66.7 61.7	
Mear S.D.	49.7 28.0	46.4 29.8	32.2 23.7	29.7 22.9	12.2 12.3	50.6 28.3	
	Fre	equency	2.0 }	Hz			
Animal\H	. 0	2	8	24	240	Max	
1746 1826 1854 1866 1868 1887	71.7 65.0 68.3 -1.7 68.3 70.0	71.7 65.0 63.3 -6.7 78.3 70.0	51.7 50.0 58.3 -6.7 73.3 45.0	46.7 45.0 43.3 -1.7 63.3 35.0	21.7 30.0 18.3 -6.7 33.3 15.0	71.7 65.0 68.3 -1.7 78.3 70.0	
Mean S.D.	56.9 28.8	56.9 31.6	45.3 27.3	38.6 21.8	18.6 14.2	58.6 29.9	
	Fre	equency	8.0 }	кНz			
Animal\H	c 0	2	8	24	240	Max	
1746 1826 1854 1866 1868 1887	61.7 60.0 62.3 13.3 66.7 75.7	61.7 60.0 68.3 -5.7 66.7 81.7	41.7 55.0 63.3 3.3 66.7 26.7	41.7 25.0 38.3 -6.7 56.7 21.7	21.7 20.0 -1.7 -11.7 -3.3 6.7	61.7 60.0 68.3 13.3 66.7 81.7	
Mean S.D.	57.0 22.2	55.3 31.3	42.8 24.3	29.4 21.7	5.3 13.4	58.6 23.5	

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100x 1/M

																	İ	
	2.200		•			82.5 87.5	85.0	2.7			•	•	•	•	87.5	82.5	80.8	3.9
`	1.300		•			67.5 77.5	67.5	9.5			•	•	•	•	77.5	•		11.7
	0.750		32.5	42.5	37.5	37.5 37.5	36.7	3.8			52.5	•			62.5	•	, .	11.6
	0.650		•			27.5	29.2	•			•	•	•	•	47.5	•	40.0	7.6
0.5 kHz	0.600					27.5 27.5	25.8	•		Φ	•	•			42.5	•	36.7	7.4
ency:	0.520	Pre-Exposure	27.5	37.5	37.5	27.5 37.5	31.7	9.9	į.	rost-rxposure	47.5	•	•	•	47.5	•	42.5	8.4
Probe Frequency:	0.400	Pre-	•		•	32.5 37.5	37.5	•	i d	Post	47.5	•	•	•	•	•	44.2	4.1
Pro	0.300		42.5	52.5	52.5	42.5 52.5	48.3	•			57.5	•		•	52.5	•	55.0	5.2
	0.200		55.5 5.5	57.5	67.5	52.5 62.5	58.3				7		તં	~	62.5	7	62.5	•
	0.156	_				52.5 62.5	60.3	٠. ج	_	_	62.5		•	•	62.5		63.3	•
	(kHz):	Animal (Q-10 dB	(3.11)	(3.37)	(2.62)	(1.29) (2.62)	(2.42)	(0.82)	, c		(4.65)	•	•	•	(1.57)	•	(2.21)	(1.28)
	Masker (kHz):	Animal	1746	1854	1866	1868 1897	Mean	S.D.		Antiret	1746	1826	1854	1866	1868	1887	Mean	S.D.
							İ											

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100x 1/M

Probe Frequency: 1.0 kHz

82.5 82.5 82.5 77.5 82.5 82.5 77.5 77.5 77.5	ပဲလဲလဲလဲလဲ ဝဲတဲ့ လဲလဲ*လဲဂ
	67.5 47.5
	67.5 52.5 ***** 67.5
80.8	6.9
7.500	

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100X 1/M

Probe Frequency: 2.0 kHz

Masker	Masker (kHz):	0.300	0.750	0.900	1.300	1.700	2.050	2.200	3.000	3.500	4.000	
Animal	Animal (Q-10 dB)	<u>~</u>			Pre-	Pre-Exposure	a .					
1746 1826	(1.45)	72.5	62.5	37.5	47.5	27.5	22.5	27.5	32.5	52.5	62.5	
1854	_		47.5	37.5		32.5	27.5	37.5	42.5	67.5	87.5	
1866	_		42.5	37.5		37.5	32.5	42.5	47.5	67.5	87.5	
1868	<u> </u>		2. t	32.5		27.5	22.5	32.5	37.5	42.5	57.5	
188/	(T.20)	۲.,5	47.5	3/.5	•	37.5	27.5	32.5	27.5	42.5	57.5	
Mean	(1.84)	80.0	48.3	37.5	39.2	33.3	27.5	35.8	38.3	55.0	72.5	}
S.D.	(0.82)	5.2	7.4	3.2	6. 8	4.9	4.5	6.1	7.4	11.3	14.8	
4πimal	Animal (Q-10 dB)	•			Post	Post-Exposure	ø					
1.746	(3.50)	72.5	57.5	47.5	47.5	37.5	47.5	42.5	42.5	32.5	42.5	
1826	(2.63)	77.5	52.5	47.5	47.5	57.5	57.5	57.5	42.5	47.5	77.5	
1854	(*****)	****	****	****	****	****	****	****	****	****	****	
1866	(2.28)	77.5	42.5	32.5	32.5	2715	22.5	32.5	37.5	67.5	87.5	
1868	(4.09)	72.5	47.5	42.5	42.5	42.5	32.5	42.5	32.5	67.5	82.5	
1887	(2.28)	77.5	52.5	47.5	52.5	47.5	42.5	52.5	42.5	57.5	67.5	
Mean	(2.96)	75.5	50.5	43.5	44.5	42.5	40.5	45.5	39.5	53.5	71.5	ł
S.D.	(0.81)		5.7	6.5	9,7	11.2	13.5	9.7	4.5	13.9	17.8	

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100X 1/M

Probe Frequency: 4.0 kHz

Masker	Masker (kHz):	0.450	1.300	2.200	3.000	3.500	4.100	4.500	5.000	5.600	000.9
Animal	(Q-10 dB)	<u>-</u>			Pre-	Pre-Exposure	<i>a.</i> •				
1746 1826 1854 1866 1868 1887	(2.33) (3.12) (3.65) (2.91) (4.10) (3.26)	77.5 72.5 82.5 62.5 72.5 82.5	47.55 52.5 47.55 47.55	52.55 52.55 52.55 52.55 52.55	27. 32.5.5 37.5.5 22.5.5 5.5 5	12.5 22.5 22.5 22.5 12.5 12.5	12.3 22.3 22.5 12.5 7.5	27.5 27.5 37.5 37.5 17.5	32.5 42.5 57.5 47.5 37.5	37.5 42.5 77.5 72.5 42.5	42.5 47.5 62.5 87.5
Mean S.D.	Mean (3.23) S.D. (0.61) Animal (Q-10 dB)	75.0	49.2	50.8	32.5 6.3 Post	.5 18.3 .3 6.6 Post-Exposure	15.0 6.1	26.7	44.2 8.8	54.2 16.9	60.0
1746 1826 1854 1866 1868 1337	(2.89) (2.70) (****) (2.33) (4.76) (3.95)	82.5 62.5 **** 72.5 72.5	57.5 47.5 **** 52.5 47.5	57.5 **** 57.5 57.5 47.5	42.5 **2.5 37.5 42.5	32.5 22.5 **** 27.5 12.5 27.5	27.5 **** 32.5 22.5	32.5 37.5 **** 37.5 17.5	47.5 **** 52.5 27.5 42.5	62.5 **52.5 67.5 67.5 67.5	72.5 \$7.5 **** 77.5 87.5
Mean S.D.	(3.33)	72.5	51.5	55.5	36.5	24.5	22.5	32.5	44.5	61.5	70.5

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100X 1/M


		0		10.10	10.10	1010	10:0		100			0.10	
		14.000		47.	87.1	87.5 37.5	72.5		52.5	****	82.5	82.5	76.5
		12.700		42.5	77.5	32.5	63.3		47.5	****	77.5	77.5	68.5
W/T v		11.000				32.5	52.5		42.5	****	67.5	67.5	59.5
W/T YOUT OD CCT	N	9.300				47.5	35.8 17.5		32.5	***	37.5	37.5	38.5
	8.0 kHz	8.100	•	7.5	37.5 37.5	17.5	24.2	ø	27.5	****	27.5	32.5	29.5
resource intersection (de ser) etoup:	Frequency:	7.000	Pre-Exposure	17.5 32.5	42.5	42.5	30.0	Post-Exposure	17.5	****	•	37.5	31.5
	Probe Freq	5.900	Pre	32.5	52.5 37.5	37.5	42.5	Post	32.5	****	32.5	47.5	41.5
Turesun	Pro	2.500		42.5	62.5 52.5	52.5 47.5	53.3		37.5	****	52.5	57.5	52.5
CENTRAL PROPERTY		1.300		52.5 67.5	62.5 62.5	52.5 57.5	59.2		52.5 57.5	****	57.5	57.5	55.5
		0.450	_	67.5 67.5			74.2		82.5	*	•	82.5	79.5
		(kHz):	Animal (Q-10 dB)	(4.31)	(3.60) (3.18)	(9.63)	(4.31) (2.69)	Animal (Q-10 dB)	(3.78)	(*****)	(2.52)	(2.58)	(4.09)
		Masker (kHz):	Animal	1746 1826	1854 1866	1868 1887	Mean S.D.	Animal (1746 1826	1854	1866	1887	Mean
							ı						ı

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100X 1/H

Probe Frequency: 11.2 kHz


16.000			87.5 77.5 72.5 72.5	72.5		62.5	72.5 47.5 87.5	68.5
14.500			82.5 67.5 67.5	67.5		57.5	72.5 27.5 27.5	57.5
13.000		42.5	47.5 47.5 37.5	43.3		42.5	47.5 22.5 52.5	41.5
12.000			37.5 32.5 32.5	37.5		42.5	32.5 22.5 37.5	35.5
11.500	a v		22.5 22.5 22.5	35.8	φ	37.5	32.5 37.5 27.5	33.5
11.000	Pre-Exposure		\$2.5 22.5 22.5	38.3 14.6	Post-Exposure	37.5 32.5 ****	37.5 32.5 32.5	34.5
9.000	Pre-		37.5 37.5 52.5	45.8	Post	32.5 42.5 ***	37.5 47.5 42.5	40.5
7.000		47.5 27.5 52.5	47.5 52.5 47.5	45.8 9.3		47.5	37.5 47.5 62.5	47.5 9.4
4.000		52.5 47.5	47.5 47.5	49.2		47.5	42.5 42.5 57.5	47.5
1.000	_	67.5 62.5 67.5	57.5 67.5 67.5	65.0		62.5 67.5 ****	62.5 52.5 72.5	63.5
(kHz):	Animal (Q-10 dB	(2.20) (1.13) (5.35)	(8.99) (11.48) (6.42)	(5.93) (3.94)	Q-10 dB)	(2.05) (3.67) (*****)	(1.33) (3.75) (5.60)	(3.28)
Masker (kHz):	Animal	1746 1826 1854	1866 1868 1887	Mean S.D.	Animal (Q-10 dB)	1746 1826 1854	1866 1868 1887	Mean S.D.

The oup Mean Recovery Curves
Measured at Three Test Frequencies




The Group Mean Permanent Threshold Shift (PTS)


for all Test Frequencies





The Pre and Postexposure Tuning Curves for Individual Animals in this Exposure Group.


The solid symbol represents the threshold of the probe tone.


























SHOCK TUBE EXPOSURE 155 dB, 100X, 1/MIN

TOTAL NUMBER OF COCHLEAR SENSORY CELLS MISSING

ANIMAL NUMBER	INNER HAIR CELLS	1ST ROW OUTER HAIR CELLS	2ND ROW OUTER HAIR CELLS	3RD ROW OUTER HAIR CELLS	TOTAL OUTER HAIR CELLS
R1746R	15	282	299	155	736
R1826R	28	785	739	443	1967
R1854R	19	172	153	188	513
R1866R	20	24	29	26	79
R1868T	115	629	819	495	1943
R1887R	12	501	577	347	1425
GROUP MEAN .D.	35 40				1111 786

TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND LENGTHS OF THE COCHLEA CENTERED AT THE FREQUENCIES INDICATED

OCTAVE CENTI FREQUI	ER	INNER HAIR CELLS	OUTER HAIR CELLS
GROUP MEANS			
2 4 8	kHz	1.7 2.8 3.5 13.8 3.8 4.3 3.5 1.2	66.2 57.2 108.0 430.5 321.3 84.7 22.7 19.5
STANDARD DEVIATIONS			
4 8	kHz		34.0 55.3 106.0 367.0 264.1 77.2 37.0 22.4


TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND FREQUENCIES


	INNER HAIR CELLS	1st ROW OUTER HAIR CELLS	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIR CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS
CHINCHILL	A R1746R	l.					
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	4 2 2 3 1 2 1 0	5 4 11 126 104 27 2	12 10 10 114 101 43 1	43 15 16 30 25 10 8	60 29 37 270 230 80 11	0 2 1 2 0 1 0	1 2 2 7 2 3 0
TOTALS	15	282	299	155	736	6	17
CHINCHILL	A R1826R	:					
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	1 1 6 4 3 11 1	9 8 91 320 247 92 0 18	36 11 44 289 241 85 4	40 25 9 55 259 36 2	85 44 144 664 747 213 6	0 0 1 1 41 9 0	2 0 0 8 22 8 0 4
TOTALS	28	785	739	443	1967	53	44
CHINCHILL	A R1854R	i.					
0.125 kHz 0.25 kHz 0.5 kHz 1 kBz 2 kHz 4 kHz 8 kHz 16 kHz	2 2 1 0 1 4 9	10 7 11 38 34 42 30 0	10 7 8 22 32 39 34 1	29 10 5 7 47 53 34 3	49 24 24 67 113 134 98	0 3 0 0 0 1 6	1 3 4 15 5 3 8 0
TOTALS	19	172	153	188	513	10	39


TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND FREQUENCIES


	INNER HAIR CELLS	1st ROW OUTER HAIR CELLS	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIR CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS
CHINCHILL	A R1866F	₹					
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	3 9 6 2 0 0 0	4 11 1 2 2 1 2	5 8 7 2 2 1 2 2	8 4 1 4 4 1 1 3	17 23 9 8 8 3 5	0 0 0 0 0 0	3 0 0 0 0 0 0
TOTALS	20	24	29	26	79	0	3
CHINCHILL 0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	0 1 5 74 17 5 10 2	16 61 122 321 95 5 4	38 48 134 337 232 26 1	64 58 29 248 83 4 6	118 167 285 906 410 35 11	0 0 0 162 4 0 0	0 0 2 140 15 0 0
TOTALS	115	629	819	495	1943	166	157
CHINCHILL	A R1887R						
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	0 2 1 0 1 4 0 4	9 11 88 247 132 8 0 6	24 5 48 295 168 27 4	35 40 13 126 120 8 1	68 56 149 668 420 43 5	1 0 0 0 0 1 0 0	0 0 1 1 11 0 0
TOTALS	12	501	577	347	1425	2	14


Cochleograms and PTS Audiograms for Individual Animals














Summary Data for the Group Exposed to:

155 dB, 100x, 1/10M

Animal # 1914 - Completed the Entire Protocol 1917 - Completed the Entire Protocol 1970 - Completed the Entire Protocol 1999 - Completed the Entire Protocol 2066 - Completed the Entire Protocol

155 dB 100X 1/10M

PRE-EXPOSURE THRESHOLDS (dB SPL)

Animal'	kHz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
191	4 19.2	9.2	14.2	-0.8	12.5	5.8	****
191	7 10.8	12.5	14.2	-7.5	2.5	2.5	****
197	0 2.5	-5.8	0.8	-0.8	4.2	12.5	****
199	9 7.5	0.8	9.2	-6.7	10.8	14.2	30.0
206	6 7.5	9.2	9.2	0.8	4.2	17.5	****
Mea	n 9.5	5.2	9.5	-3.0	6.8	10.5	30.0
S.D	. 6.2	7.5	5.4	3.8	4.5	6.2	****

POST-EXPOSURE THRESHOLDS (dB SPL)

Animal\k	iz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1914	35.8	37.5	39.2	20.8	17.5	24.2	****
1917	17.5	12.5	10.8	-6.7	2.5	10.8	****
1970	9.2	4.2	9.2	-6.7	14.2	24.2	****
1999	32.5	22.5	47.5	69.2	80.8	85.8	****
2066	4.2	5.8	5.8	-0.8	5.8	14.2	****
Mean	19.8	16.5	22.5	15.2	24.2	31.8	****
S.D.	14.0	13.8	19.3	32.2	32.3	30.8	****

PERMANENT THRESHOLD SHIFT (dB)

A	nimal\kH	iz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
	1914	16.7	28.3	25.0	21.7	5.0	18.3	****
	1917	6.7	0.0	-3.3	0.8	0.0	8.3	****
	1970	6.7	10.0	8.3	-5.8	10.0	11.7	****
	1999	25.0	21.7	38.3	75.8	70.0	71.7	****
	2066	-3.3	-3.3	-3.3	-1.7	1.7	-3.3	****
-	Mean	10.3	11.3	13.0	18.2	17.3	21.3	****
	S.D.	10.8	13.6	18.3	33.9	29.7	29.2	****

155 dB 100X 1/10M
TEMPORARY THRESHOLD SHIFT (dB)

	Fr	equency	0.5	kHz			
Animal\Hr	0	2	8	24	240	Max	
1917 3 1970 2 1999 4	3.3 36.7 25.0 15.0 25.0	31.7 15.0	10.0	6.7 5.0 20.0	18.3 6.7 -5.0 5.0 5.0	36.7 25.0 45.0	
	19.0 .6.0		23.0 17.5		6.0		
	Fr	equency	2.0	kHz			
Animal\Hr	0	2	8	24	240	Max	
1917 5 1970 3 1999 5	36.7	43.3 21.7 43.3	33.3 11.7	8.3 11.7 18.3	-1.7 1.7 -1.7	53.3 36.7 53.3	
	50.0		26.0 19.5			50.0 10.3	
	Fr	equency	8.0	kHz			
Animal\Hr	0	2	8	24	240	Max	
1917 6 1970 5 1999 3	75.0 50.0 53.3 86.7 53.3	70.0 50.0 23.3 36.7 23.3	70.0 20.0 8.3 36.7 3.3	-5.0 -1.7 16.7		60.0 53.3	
	55.7 13.8	40.7 19.8	27.7 26.9	19.7 24.0	8.7 5.2	55.7 13.8	

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100X 1/10M

0.5 kHz
Frequency:
Probe

Masker	Masker (kHz):	0.150	0.200	0.300	0.400	0.520	0.600	0.650	0.750	1.300	2.200
Animal	Animal (Q-10 dB	=			Pre-	Pre-Exposure	a				
1914	(2.32)	62.5	62.5	• •	42.5	32.5	27.5	•		•	82.5
1970	(4.64)	77.5	62.5		37.5	27.5	17.5				77.5
1999 2066	(3.30) (1.13)	67.5 62.5	67.5 62.5	52.5 52.5	42.5 42.5	32.5	32.5	22.5	27.5	72.5	82.5
Mean S.D.	(2.80) (1.29)	68.5	64.5	51.5	40.5	31.5	26.5	24.5	34.5	60.5	82.5
Animal	Animal (Q-10 dB	_			Post	Post-Exposure	φ				
1914	(1.49)		67.5	62.5		52.5	57.5	•	62.5	72.5	
1970	(1.01)		52.5 72.5	2.7. 2.7.		27.5 42.5	17.5 42.5	•	32.5	72.5	•
1999 2066	(4.65)	62.5	67.5	62.5 52.5	57. 5 37.5	57.5 27.5	47.5	57.5 22.5	52.5 27.5	87.5 57.5	82.5 82.5
Mean S.D.	(2.69)	65.5 9.1	64.5	55.5	46.5	41.5	39.5	41.5	44.5	71.5	82.5

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100x 1/10M

kHz
•
ncy:
reguer
몵
Ø.
ы
بت
ል
Ö
ដ
ن۵

					1
2.500	82.5 67.5 82.5 82.5	79.5		82.5 82.5 67.5 87.5	80.5
1.900	47.5 72.5 47.5 52.5 77.5	59.5		77.5 77.5 77.5 64.5	73.9
1.700	42.5 82.5 52.5 42.5 62.5	56.5		82.5 82.5 57.5 57.5	66.5
1.300	32.5 32.5 32.5 42.5	36.5 11.4		77.5 42.5 37.5 37.5 27.5	44.5
1.050	27.5 37.5 12.5 17.5 27.5	24.5	υ	52.5 27.5 27.5 42.5 22.5	34.5
50 0.800 Pre-Exposure	27.5 37.5 17.5 37.5	32.5 10.0	Post-Exposure	62.5 22.5 27.5 32.5	38.5
0.550 Pre-	47.5 47.5 52.5 52.5	48.5	Post	67.5 37.5 57.5 47.5	50.5
0.400	52.5 57.5 52.5 57.5 62.5	56.5 4.2		77.5 42.5 52.5 57.5	57.5 12.7
0.2იე	72.5 67.5 72.5 72.5 82.5	73.5 5.5		82.5 67.5 67.5 72.5	73.5
0.150	72.5 72.5 67.5 72.5 82.5	73.5		82.5 67.5 67.5 67.5	72.5
Masker (kHz): Animal (Q-10 dB)	(0.97) (1.21) (2.46) (2.22) (3.13)	(2.00)	Animal (Q-10 dB)	(3.05) (1.59) (1.18) (1.72) (1.87)	(1.88) (0.70)
Masker (kHz): Animal (Q-10	1914 1917 1970 1999 2066	Mean 3.D.	Animal	1914 1917 1970 1999 2066	Mean S.D.

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100X 1/10M

Probe Frequency: 2.0 kHz

			1			1
4.000		82.5 77.5 57.5 82.5 72.5	74.5 10.4		47.5 82.5 82.5 87.5	76.5
3.500		52.5 62.5 42.5 32.5	47.5		37.5 72.5 57.5 32.5	55.5
3.000		37.5 42.5 27.5 27.5 27.5	35.5		52.5 37.5 77.5 32.5	50.5
2.200		37.5 22.5 27.5 32.5	33.5		67.5 32.5 32.5 67.5	42.5
2.050	a)	27.5 42.5 17.5 17.5	24.5	įυ	57.5 22.5 22.5 62.5 22.5	37.5
1.700	P:e-Exposure	32.5 37.5 32.5 27.5	30.5	Post-Exposure	67.5 32.5 42.5 57.5	44.5
1.300	ъ. ф.	37.5 42.5 37.5 37.5	39.5	Post	62.5 32.5 52.5 22.5	42.5 15.8
0.900		42.5 47.5 42.5 32.5	38.5		52.5 12.5 42.5 32.5	38.5
0.750		57.5 52.5 52.5 47.5	50.5		67.5 32.5 47.5 32.5	44.5
00.300	_	77.5 67.5 77.5 77.5	74.5		77.5 57.5 67.5 72.5 67.5	68.5
Masker (kHz):	Animal (Q-10 dB	(2.28) (1.31) (1.42) (5.24) (4.57)	(2.96) (1.83)	Animal (Q-10 dB)	(4.16) (3.46) (6.14) (2.16) (4.23)	(4.03) (1.44)
Masker	Animal	1914 1917 1970 1999 2066	Mean S.D.	Animal	1914 1917 1970 1999 2066	Mean S.D.
		1			İ	

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100X 1/10M

Probe Frequency: 4.0 kHz

sker	Masker (kHz):	0.450	1.300	2.200	3.000	3.500	4.100	4.500	5.000	2.600	000.9	
mal	Animal (Q-10 dB)	3.			Pre-	Pre-Exposure						
1914 1917 1970 1999 2066	(2.70) (4.22) (4.76) (5.06) (3.71)	62.5 67.5 72.5 77.5	32.5 57.5 57.5 47.5 67.5	42.5 57.5 52.5 52.5 52.5	22.5 32.5 37.5 52.5	12.5 27.5 27.5 22.5 27.5	12.5 12.5 17.5 7.5	32.5 17.5 32.5 32.5	37.5 47.5 32.5 37.5	52.5 57.5 57.5 27.5	52.5 87.5 82.5 37.5	
Mean S.D.	(4.09)	70.5	52.5 13.2	50.5	35.5	23.5	14.5	26.5	37.5	53.5	69.5	1
[ma]	Animal (Q-10 dB)	<u>.</u>			Post	Post-Exposure	ω					
1914 1917 1970 1999 2066	(****) (3.95) (2.33) (****) (2.33)	62.5 57.5 67.5 52.5 77.5	42.5 42.5 47.5 47.5	52.5 47.5 47.5 82.5 52.5	37.5 32.5 32.5 87.5 47.5	32,5 17.5 17.5 87.5 27.5	37.5 12.5 17.5 82.5 27.5	32.5 27.5 82.5 32.5	32.5 32.5 37.5 42.5	32.5 52.5 42.5 77.5	22.5 62.5 52.5 87.5	
Mean S.D.	(2.87)	63.5	51.5	56.5	47.5	36.5	35.5	39.5	45.5	57.5	62.5	1

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100x 1/10M

Probe Frequency: 8.0 kHz


0.450 1.300 2.500 72.5 57.5 42.5 72.5 57.5 17.5 72.5 52.5 52.5 77.5 47.5 47.5 82.5 67.5 47.5 77.5 56.5 41.5 4.5 7.4 13.9 82.5 52.5 62.5 47.5 42.5 77.5 52.5 52.5 67.5 82.5 47.5 77.5 47.5 47.5 77.5 47.5 52.5	5.900 7.000 8.100 9.300 11.000 12.700 14.000	Pre-Exposure	22.5 7.5 2.5 17.5 12.5 17.5 42.5 7.5 7.5 2.5 12.5 22.5 67.5 82.5 32.5 17.5 22.5 32.5 67.5 67.5 62.5 27.5 12.5 -2.5 37.5 67.5 77.5 82.5 42.5 37.5 42.5 57.5 82.5	26.5 16.5 9.5 28.5 45.5 62.5 70.5 12.9 12.4 12.0 12.9 26.1 26.0 17.9	Post-Exposure	32.5 22.5 37.5 67.5 82.5 82.5 32.5 12.5 22.5 22.5 37.5 52.5 62.5 27.5 17.5 42.5 27.5 42.5 52.5 82.5 82.5 82.5 82.5 65.0 82.5 82.5 42.5 27.5 27.5 32.5 67.5 87.5
0.450 1 72.5 72.5 72.5 77.5 82.5 62.5 67.5 77.5			42. 17. 52. 47.	.5 41.		.5 52. .5 92. .5 87.
	-	Animal (Q-10 dB)			Animal (Q-10 dB)	10 10 10 10 10

MASKED THRESHOLDS (dB SPL) Group: 155 dB 100X 1/10M

Probe Frequency: 11.2 kHz

Masker	Masker (kHz):	1.300	4.000	7.000	9.000	11.000	11.500	12.000	13.000	14.500	16.000	
Animal	Animal (Q-10 dB	_			Fre	Fre-Exposure	o					
1914	(3.72)	62.5	47.5	47.5	37.5	42.5	•	•	32.5			
1970		57.5	47.5						32.5			
1999	~5	57.5	37.5		•		22.5	27.5	37.5	67.5	72.5	
000	-	0.20	27.3		•		•		37.5			
Mean	(5.99)	64.5	45.5	39.5	44.5	31.5	28.5	32.5	36.5	1 .		1
S.D.	(4.61)	10.4	5.7	•	•	6.5	8.2	7.1	4.2	12.7	11.5	
Animal	Animal (Q-10 dB)	~			Post	Post-Exposure	ق					
1914	(09.0)	62.5	37.5	•	•	•	•					
1917	(1.93)	57.5	47.5		•					•	•	
1970	(3,72)	62.5	47.5		•	•				• •	•	
1999	(****)	82.5	82.5	82.5	82.5	82.5	82.5	82.5				
2066	(8.40)	57.5	57.5	•	•	•			67.5	77.5	87.5	
Mean	(3.66)	64.5	54.5	50.5	52.5			49.5			78.5	1
S.D.	(3.41)	10.4	•	•	20.0	22.5	21.7	21.4	23.8	18.9	8.2	

The Group Mean Recovery Curves
Measured at Three Test Frequencies




7


The Group Mean Permanent Threshold Shift (PTS)


for all Test Frequencies


The Pre and Postexposure Tuning Curves for Individual Animals in this Exposure Group.


The solid symbol represents the threshold of the probe tone.


























SHOCK TUBE EXPOSURE 155 dB, 100X, 1/10 MIN

TOTAL NUMBER OF CCCHLEAR SENSORY CELLS MISSING

ANIMAL NUMBER	INNER HAIR CELLS	1ST ROW OUTER HAIR CELLS	2ND ROW OUTER HAIR CELLS	3RD ROW OUTER HAIR CELLS	TOTAL OUTER HAIR CELLS
R1914R	235	1072	1026	811	2909
R1917R	15	175	151	193	519
R1970R	19	66	62	104	232
R1999R	194	788	904	862	2647
R2066R	4	31	26	43	100
GROUP MEAN S.D.	93 112				1281 1378

TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND LENGTHS OF THE COCHLEA CENTERED AT THE FREQUENCIES INDICATED

OCTAVÉ CENTI FREQUI	ER	INNER HAIR CELLS	OUTER HAIR CELLS
GROUP MEANS			
2 4 8	kHz	2.0 1.6 .4 5.2 19.8 28.4 29.2 6.2	71.4 48.0 43.6 190.2 222.8 255.6 241.8 194.2
STANDARD DEVIATIONS			
2 4 8	kHz	2.0 .9 .9 5.3 38.8 59.1 63.1 10.6	51.8 28.5 25.2 238.8 389.8 386.2 442.4 411.4


TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND FREQUENCIES


	INNER HAIR CELLS	1st ROW OUTER HAIR CELLS	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIR CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS		
CHINCHILLA R1914R									
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	0 3 0 4 89 134 2 3	51 14 30 262 310 310 86 9	50 23 22 246 308 305 66 6	55 23 20 102 297 294 17	156 60 72 610 915 909 169 18	0 2 0 11 168 275 2	3 0 3 47 134 190 10		
TOTALS	235	1072	1026	811	2909	458	388		
CHINCHILL	A R19171	२							
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	5 1 2 3 3 0 0	12 15 23 63 37 20 3	19 10 14 48 44 13 2	34 59 19 20 48 9	65 84 56 131 129 42 7 5	0 0 4 3 6 1 0	6 1 6 14 6 1 0		
TOTALS	15	175	151	193	519	14	34		
CHINCHILLA R1970R									
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	1 1 0 14 0 0 1 2	9 2 3 38 6 3 1 2	3 1 12 35 3 5 1	18 20 12 35 7 7 0 5	30 23 27 109 16 15 2	0 0 0 27 0 0 0	0 0 0 13 0 0 0		
TOTALS	19	66	62	104	232	27	13		


TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND FREQUENCIES


		INNER HAIR CELLS	1st ROW OUTER HAIR CELLS	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIR CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS
CHI	NCHILL	A R1999R						
1 2 4 8	kHz kHz kHz kHz kHz kHz	3 2 0 5 7 7 142 25	13 37 14 24 17 103 341 310	28 13 33 43 10 104 341 310	36 8 7 21 16 101 341 310	77 58 54 88 43 308 1023 930	0 5 0 6 0 6 193 3	1 3 0 5 1 5 6 8
CHINCHILLA R2066R								
1 2 4 8	kHz kHz kHz	1 0 0 0 1 1	4 4 3 7 4 3 1 4	8 2 1 1 4 0 6 4	17 9 5 5 3 1 1 2	29 15 9 13 11 4 8 10	0 0 0 0 0	0 0 0 0 0 0
TOT	ALS	4	31	26	43	100	0	0


Cochleograms and PTS Audiograms for Individual Animals











Summary Data for the Group Exposed to:

160 dB, 1X

Anı	maı #						
1	973	-	Comp	pleted	the	Entire	Protocol
1	843	-	Comp	pleted	the	Entire	Protocol
2	013	-	Comp	pleted	the	Entire	Protocol
2	035	-	Comp	pleted	the	Entire	Protocol
2	057	-	Comp	pleted	the	Entire	Protocol
1	972	-	No I	Histolo	gy	Availab	ole

160 dB 1X

PRE-EXPOSURE THRESHOLDS (dB SPL)

Animal\kH	z 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1843 1972	29.2 32.5	19.2 17.5	17.5 19.2	-2.5 15.8	29.2 24.2	35.8 31.2	50.8 ****
1973 2013	23.8 19.2	14.2 13.8	21.3 14.2	14.2 12.5	30.8 20.8	26.3 19.2	****
2013	25.8	14.2	22.5	16.3	29.2	32.5	****
2057	22.5	15.8	22.5	17.5	42.5	29.2	****
Mean	25.5	15.8	19.5	12.3	29.4	29.0	50.8
S.D.	4.8	2.2	3.3	7.4	7.4	5.8	****

POST-EXPOSURE THRESHOLDS (dB SPL)

Animal\kH	Iz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1843	17.5	9.2	14.2	0.8	27.5	35.8	40.8
1972	30.0	19.2	22.5	14.2	37.5	43.7	****
1973	19.2	14.2	17.5	15.8	40.0	35.0	*****
2013	17.5	12.5	19.2	19.2	25.8	19.2	****
2035	29.2	17.5	22.5	20.8	35.8	35.8	*****
2057	20.8	12.5	20.8	12.5	34.2	24.2	****
Mean	22.4	14.2	19.5	13.9	33.5	32.3	40.8
S.D.	5.7	3.7	3.2	7.1	5.6	9.0	

PERMANENT THRESHOLD SHIFT (dB)

Animal\kH	Iz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1: ±3 1972 1973 2013 2035 2057	-11.7 -2.5 -4.6 -1.7 3.3 -1.7	-10.0 1.7 0.0 -1.2 3.3 -3.3	-3.3 3.3 -3.7 5.0 0.0 -1.7	3.3 -1.7 1.7 6.7 4.6 -5.0	-1.7 13.3 9.2 5.0 6.7 -8.3	0.0 12.5 8.7 0.0 3.3 -5.0	-10.0 **** **** **** ****
Mean S.D.	-3.1 4.9	-1.6 4.7	-0.1 3.6	1.6 4.3	4.0 7.8	3.3 6.4	-10.0 ****

160 dB 1X
TEMPORARY THRESHOLD SHIFT (dB)

	Fr	equency	0.5	kHz			
Animal\Hr	0	2	8	24	240	Max	
2013	3.3 0.0 -1.2 8.3 -3.3	-3.3	20.0 -1.2	5.0 -6.2 -1.7 -3.3	-1.2 -1.7 -3.3	3.3 20.0 -1.2 8.3 1.7 0.0	
Mean S.D.	1.2		2.8 9.1		-3.8 7.2		
	Fr	equency	2.0	kHz			
Animal\Hr	0	2	8	24	240	Max	
1843 1972 1973 2013 2035 2057	5.0 8.3 6.2 8.3 5.0 5.0	1.2 8.3 5.0	-3.7 3.3 0.0	3.3 -3.7 3.3	3.3 -3.7 -1.7 0.0	6.2 8.3 5.0	
Mean S.D.	6.3 1.6	3.8 4.0	2.2 5.9	-1.2 5.1			
	Fr	equency	8.0	kHz			
Animal\Hr	0	2	8	24	240	Max	
1972 1973 2013 2035	13.3 6.7 1.7	-6.7 23.3 1.7 -3.3 3.3 -15.0	-6.7 23.3 1.7 6.7 3.3 0.0	-3.3 1.7 3.3	13.3 -3.3 1.7 8.3	23.3 6.7 6.7 8.3	
Mean S.D.	3.1 6.4	0.6 12.9		0.6 7.3			

MASKED THRESHOLDS (dB SPL) Group: 160 dB 1X

Probe Frequency: 0.5 kHz

			!	
2.200	95.0* 82.5 87.5 77.5	82.9	95.0* 77.5 82.5 87.5 72.5	83.8
1.300	67.5 47.5 67.5 72.5 57.5	60.0	52.5 47.5 67.5 67.5 57.5	38.3 8.0
0.750	42.5 32.5 42.5 37.5 37.5	37.5	37.5 27.5 37.5 42.5 32.5 37.5	35.8 5.2
0.650	37.5 32.5 32.5 27.5 27.5	32.5	27.5 27.5 27.5 37.5 37.5 32.5	30.0 4.2
0.600	37.5 32.5 37.5 27.5 32.5	33.3	27. 27. 27. 32. 32. 32.	29.2 2.6
.00 0.520 Pre-Exposure	37.5 27.5 37.5 42.5 32.5	35.0 5.2	Fost-Exposure .5 32.5 .5 27.5 .5 42.5 .5 37.5	34.2
0.400 Pre-	47.5 42.5 47.5 47.5 42.5	45.0	42.5 52.5 37.5 47.5 37.5	44.2 6.1
0.300	62.5 57.5 47.5 47.5 52.5	53.3	37.5 52.5 52.5 47.5 47.5	ສີ ເບ ລີ ເດີ
0.200	62.5 62.5 67.5 67.5 62.5	65.0	62.5 62.5 62.5 62.5 62.5	4.1
0.150	72.5 72.5 72.5 77.5 67.5 67.5	71.7	67.5 67.5 67.5 67.5 67.5	2.0
Masker (kHz): Animal (Q-10 dB)	(1.19) (1.12) (1.78) (2.62) (1.57) (2.22)	Mean (1.75) S.D. (0.59)	(2.05) (1.20) (1.49) (2.62) (1.89) (1.01)	(09.60)
Masker (kHz): Animal (Q-10	1843 1972 1973 2013 2035 2057	Mean S.D.	1843 1972 1973 2013 2035 2057	S.D.
	į			

MASKED THRESHOLDS (dB SPL) Group: 160 dB 1X

Probe Frequency: 1.0 kHz

2.500							67.5	86.7	11.9							62.5	85.0 13.6
1.900		•			•		52.5	56.7	8.0							52.5	58.3 12.0
1.700		•		•			47.5	51.7	8.6		•	•			52.5	52.5	53.3 11.6
1.300		•	•	•	•		37.5		9.9		•	•		•	37.5	32.5	32.5
1.050		•	•	•			22.5	•	2.6	e .	•		•		22.5	•	25.0
0.800	Ω	•				•	32.5	30.0	2.7	Post-Exposure	•	•	•		27.5		28.3 10.2
0.550	14	•	•		•	42.5	42.5	44.2	4.1	Post		•	•		37.5		41.7
0.400		•	•	•		47.5	•	54.2			47.5	•	•	•	•	•	55.0 7.6
0.200		77.5	72.5	72.5	77.5	72.5	72.5	74.2	•		67.5	•	•	•	•		73.3
0.150	. {	77.5	77.5	77.5	82.5	72.5	72.5	76.7	3.8	^	72.5	82.5	77.5	77.5	72.5	77.5	76.7 3.8
Masker (kHz):		(1.31)	(1.54)	(1.84)	(1.92)	(1.58)	(2.55)	(1.79)	(0.44)	Animal (Q-10 dB)	(1.25)	(1.39)	(2.10)	(1.61)	(1.92)	(1.18)	(1.57) (0.37)
Masker (kHz):		1843	19/2	1973	2013	2035	2057	Mean	S.D.	Animal	1843	1972	1973	2013	2035	2057	Mean S.D.

MASKED THRESHOLDS (dB SPL) Group: 160 dB 1X

H
2.0
•
Frequency:
Probe

				•		·	2.0 Alia	3			
$\overline{}$	Masker (kHz):	0.300	0.750	006.0	1.300	1.700	2.050	2.200	3.000	3.500	4.000
	Animal (Q-10 dB	_			Pre-	Pre-Exposure	as				
	(3.86)	67.5	47.5	42.5	•		22.5			•	82°0°
	(7.27)	67.5			•		12.5			•	87.5
	(5.24)	72.5		•			27.5	•		•	95.7
	(6.14)	77.5			•		22.5				7.7. F. F.
	(5.24)	67.5		•	37.5	37.5	22.5				82.5
	(2.28)	77.5			•	37.5	32.5	42.5	42.5	42.5	95.0*
	(5.01)	71.7	47.5	43.3				1 .			88.8
	(1.75)			3. 8	5°.5	3.8	9.9	5.8	4.9	15.3	7.6
	Animal (Q-10 dB)	_			Post	Post-Exposure	ğυ				
	(6.45)	67.5	52.5	42.5	42.5	•	•		47.5	72.5	82.5
	(2.70)	•	57.5	47.5	32.5		•	•	37.5	47.5	, C
	(5.24)	•	47.5	42.5	32.5	42.5	27.5	•	42.5	42.5	, 7.0 . r.
	(7.27)	•	47.5	42.5	37.5			•	62.5	95,0*	٦,76
	(4.57)	•	52.5	42.5	22.5		•		37.5	37.5	62.5
	(5.24)	• 1	42.5	47.5	47.5	47.5	32.5	42.5	42.5	57.5	95.0*
	(5.25)	69.2	50.0	44.2	35.8			34.2	45.0	58.8	82.1
	(1.58)	-	5.2	5.6	•	8. 8.	6.3	10.8	9.4	21.7	14.4

MASKED THRESHOLDS (dB SPL) Group: 160 dB 1X

КH2
4.0
Frequency:
Probe 1

6.000		67.5 72.5 82.5 72.5 87.5	7.7		72.5 87.5 82.5 77.5 77.5 67.5 77.5
5.500		62.5 62.5 77.5 62.5 57.5	65.0		85.0* 62.5 72.5 82.5 57.5 67.5 10.9
5.000		37.5 47.5 72.5 67.5 57.5	56.7 12.8		57.5 422.5 77.5 52.5 52.5 11.8
4.500		22. 32.5 47.5 42.5 5	36.7		47.5 32.5 32.5 52.5 42.5 40.0
4.100	4.	17.5 32.5 32.5 32.5 5	24.2	ę.	22.5 27.5 27.5 32.5 59.2 59.2
3.500	Pre-Exposure	227.58 32.5.58 37.58 37.58 37.58	30.9 6.1	Post-Exposure	22.24.22.25.25.25.25.25.25.25.25.25.25.25.25.
3.000	Pre-	37.54 42.55 8.55 8.55 8.55 8.55	40.8	Post	27.5 4.7.5 3.7.5 7.6 6.6
2.200		47.5 57.5 57.5 57.5 5.5 5.5 5.5 5.5 5.5 5	55.0		622.5 672.5 67.5 67.5 67.5 67.5 67.5
1.300		57.72 57.73 57.73 57.53 57.53 57.53	55.0		57.5 57.5 52.5 52.5 5.5 5.5 5.6
0.450	~	72.5 72.5 72.5 72.5 72.5	74.2	_	72.5 77.5 77.5 67.5 74.2
(kHz):	(Q-10 dB)	(7.14) (3.95) (2.61) (2.59) (3.49) (2.73)	(3.75)	Animal (Q-10 dB	(10.07) (2.89) (3.49) (3.01) (2.82) (1.81) (4.02) (3.02)
Masker (kHz):	Animal	1843 1972 1973 2013 2035 2057	Mean S.D.	Animal	1843 1972 1973 2013 2035 2057 Zean S.D.

MASKED THRESHOLDS (dB SPL) Group: 160 dB 1X

Probe Frequency: 8.0 kHz


Masker	Masker (kHz):	0.450	1.300	2.500	5.900	7.000	8.100	9.300	11.000	12.700	14.000
Animal	(Q-10 dB)	~			Pre-	Pre-Exposure	as.				
1843 1972 1973 2013 2035 2057	(3.12) (3.00) (0.99) (0.77) (3.45) (1.43)	95.0* 72.5 85.0* 77.5	62.5 57.5 67.5 72.5	62.5 62.5 62.5 67.5 67.5	67.5 47.5 52.5 52.5	47.5 37.5 52.5 57.5 52.5 52.5	42.5 47.5 47.5 47.5 47.5 5.5	52.5 32.5 57.5 37.5 47.5	67.5 67.5 67.5 67.5	82.5 62.5 77.5 72.5 85.0*	95.0* 77.5 82.5 97.5 95.0*
Mean S.D.	(2.13)	83.3	62.5	61.7	52.5	49.2	41.7	47.5	63.3	78.8 10.5	88.8
Animal	(Q-10 dB)				Post	Post-Exposure	ø.				
1843 1972 1973 2013 2035 2035	(1.47) (2.38) (1.88) (2.06) (2.91) (2.02)	77.5 77.5 87.5 82.5 85.0*	57.5 67.5 62.5 67.5	67.5 62.5 67.5 67.5 67.5	52.5 52.5 52.5 47.5	47.5 42.5 42.5 60.0	42.5 47.5 47.5 47.5	47.5 77.5 77.5 57.5 52.5	47.5 67.5 72.5 75.0 75.0	67.5 77.5 97.5 95.0* 85.0*	72.5 87.5 97.5 95.0*
Mean S.D.	(2.12) (0.49)	82.9 4.6	62.5	67.5	50.8 2.6	47.9	42.5	52.5 14.1	71.8	85.4	90.8

MASKED THRESHOLDS (dB SPL) Group: 160 dB 1X

Probe Frequency: 11.2 kHz


Masker (kHz): 1 Animal (Q-10 dB) 1843 (4.24) 1972 (4.02) 1973 (3.86)	1.000 72.5 77.5 72.5	4.000 57.5 52.5 57.5	7.000 67.5 62.5 62.5	9.000 Pre- 57.5 62.5 52.5	00 11.000 Pre-Exposure .5 42.5 .5 42.5	11.500 e 37.5 37.5 32.5	12.000 37.5 32.5 32.5	13.000 47.5 32.5 32.5	14.500 62.5 47.5	16.000 87.5 72.5 67.5	
1.48) 9.08)	72.5 67.5	57.5 57.5	67.5	57.5 57.5	42.5	32.5	42.5	52.5	67.5	87.5	
	70.8 5.2	55.8 2.6	62.5 8.9	51.7	34.2	40.4	41.7	50.8	65.0	84.6 6.8	Į.

The Group Mean Recovery Curves
Measured at Three Test Frequencies




The Group Mean Permanent Threshold Shift (PTS)


for all Test Frequencies





The Pre and Postexposure Tuning Curves for Individual Animals in this Exposure Group.


The solid symbol represents the threshold of the probe tone.
































SHOCK TUBE EXPOSURE 160 dB, 1x

TOTAL NUMBER OF COCHLEAR SENSORY CELLS MISSING

ANIMAL NUMBER	INNER HAIR CELLS	1ST ROW OUTER HAIR CELLS	2ND ROW OUTER HAIR CELLS	3RD ROW OUTER HAIR CELLS	TOTAL OUTER HAIR CELLS
R1973R	15	19	65	95	179
R1843R	13	36	59	104	199
R2013R	18	89	100	95	284
R2035R	17	42	37	100	179
R2057R	20	72	90	77	239
GROUP MEAN S.D.	17 3				216 45

TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND LENGTHS OF THE COCHLEA CENTERED AT THE FREQUENCIES INDICATED

OCTAVE CENTI FREQUI	ER	INNER HAIR CELLS	OUTER HAIR CELLS
GROUP MEANS			
4 8	kHz kHz	5.8 2.8 1.8 1.0 .6 1.0 .8 2.2	53.2 38.8 34.4 34.4 9.8 19.0 9.8
STANDARD DEVIATIONS			
2 4 8	kHz	3.1 1.6 .8 1.2 .9 1.0 1.8	9.1 17.9 6.7 19.2 6.6 18.6 9.0 9.3


TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND FREQUENCIES


		INNER HAIR CELLS	1st ROW OUTER HAIR CELLS	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIR CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS
CHIN	CHILL	A R1973R						
2 4	kHz kHz kHz kHz kHz kHz	9 1 1 0 0 0 0 0 3	3 2 7 5 0 0 1 1	21 4 14 23 1 1 0	40 19 11 12 5 3 3	64 25 32 40 6 4	0 0 0 0 0 0	1 0 0 1 0 0 0
TOTA	LS	15	19	65	95	179	0	2
CHIN	CHILL	A R1843R						
2 4	kHz kHz kHz kHz kHz kHz	2 1 1 3 0 2 0 4	9 2 4 9 2 4 3 3	18 19 8 6 4 3 1	25 48 14 8 4 2 0 3	52 69 26 23 10 9 4	0 0 0 0 0 0	5 0 0 0 0 0
TOTA	LS	13	36	59	104	199	0	5
CHINCHILLA R2013R								
2 4 8 16	kHz kHz kHz kHz kHz kHz kHz	4 4 2 1 2 2 0 3	9 7 11 12 9 21 9	11 12 23 20 1 15 9	26 22 10 4 8 15 3 7	46 41 44 36 18 51 21 26	0 1 0 1 0 1	13 0 0 1 0 0 0
TOTA	ւՏ	18	89	100	95	284	4	14


TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND FREQUENCIES

	INNER HAIR CELLS	1st ROW OUTER HAIR CELLS	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIR CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS
CHINCHILL	A R2035F	₹					
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	9 4 2 0 1 1 0 0	8 4 6 7 1 1 0 1 3	9 1 15 2 0 6 0 2	44 25 12 2 0 1 1 15	61 30 33 11 17 2 20	0 0 3 0 0 5 0	0 0 0 0 0 5 0
CHINCHILL	A R20571	я.					
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	5 4 3 1 0 0 4 1	10 10 11 19 3 6 6	14 5 17 32 6 5 4	19 14 9 11 5 3 8	43 29 37 62 14 14 18	0 0 0 0 0 0 0	1 1 2 4 1 0 1
TOTALS	20	72	90	77	239	1	11

Cochleograms and PTS Audiograms for Individual Animals







Summary Data for the Group Exposed to:

160 dB, 10x, 1/M

Animal # 1714 - Completed the Entire Protocol 1764 - Completed the Entire Protocol 1776 - Completed the Entire Protocol 1778 - Completed the Entire Protocol 1779 - Completed the Entire Protocol 1785 - Completed the Entire Protocol

160 dB 10X 1/M

PRE-EXPOSURE THRESHOLDS (dB SPL)

Animal\kH	Iz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1714 1764	17.5 7.5	10.8 -0.9	22.5 5.0	-0.8 -7.5	19.2 1.2	24.2 -2.5	35.8 ****
1776 1778	19.2 29.2	5.8	12.5	4.2	10.8	25.8	****
1779	7.5	17.5	20.8 7.5	12.5	20.8	32.5 27.5	****
1785	19.2	10.8	17.5	9.2	24.2	24.2	****
Mean S.D.	16.7 8.2	8.1 6.4	14.3 7.2	3.6 7.1	16.7 9.0	21.9 12.4	35.8 ****

POST-EXPOSURE THRESHOLDS (dB SPL)

A	nimal\kH	iz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
	1714	19.2	7.5	20.8	4.2	27.5	29.2	****
	1764	22.5	29.2	32.5	-0.8	7.5	0.8	12.5
	1776	24.2	12.5	15.8	9.2	14.2	27.5	****
	1778	37.5	19.2	24.2	14.2	30.8	42.5	****
	1779	12.5	7.5	7.5	5.8	15.8	22.5	****
	1785	30.8	15.8	17.5	9.2	24.2	32.5	****
_	Mean	24.4	15.3	19.7	6.9	20.0	25.8	12.5
	S.D.	8.8	8.2	8.4	5.1	8.9	13.9	****

PERMATENT THRESHOLD SHIFT (dB)

Animal\kH	iz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1714	1.7	-3.3	-1.7	5.0	8.3	5.0	****
1764	15.0	30.0	27.5	6.7	6.2	3.3	****
1776	5.0	6.7	3.3	5.0	3.3	1.7	****
1778	8.3	1.7	3.3	1.7	6.7	10.0	****
1779	5.0	3.3	0.0	1.7	-5.0	-5.0	****
1785	11.7	5.0	0.0	0.0	0.0	8.3	****
Mean	7.8	7.2	5.4	3.3	3.3	3.9	****
S.D.	4.9	11.7	11.0	2.6	5.0	5.3	****

160 dB 10X 1/M
TEMPORARY THRESHOLD SHIFT (dB)

	Fre	equency	0.5	kHz			
Animal\Hr	Ú	2	8	24	240	Max	
1764 1776 1778	15.0 55.0 13.3 13.3 15.0	5.0 65.0 8.3 -6.7 10.0 3.3	0.0 55.0 8.3 -1.7 10.0 8.3	0.0 40.0 -1.7 -1.7 5.0 8.3	-1.7 -1.7 5.0		
	19.2 18.1	14.2 25 6	13.3 21.0	8.3 16.0	2.5 9.2	21.7 21.4	
	Fre	equency	2.0	kHz			
Animal\Hr	0	2	8	24	240	Max	
1764 1776 1778 1779	35.0 57.5 20.0 26.7 15.0	6.7 10.0	10.0 67.5 10.0 11.7 10.0 5.0	47.5	37.5 5.0 1.7 0.0	26.7 15.0	
	27.4 17.2	23.2 25.6	19.0 23.9			29.9 22.7	
	Fr	equency	8.0	kHz			
Animal\Hr	0	2	8	24	240	Max	
1764 1776 1778 1779	23.3 61.3 26.7 23.3 21.7 18.3	13.3 81.2 11.7 3.3 11.7 18.3	13.3 36.3 11.7 13.3 11.7 8.3	8.3 1.2 6.7 13.3 1.7 8.3	3.3 6.2 1.7 8.3 -3.3 -1.7		
	29.1 16.0	23.3 28.8	15.8 10.2	6.6 4.6	2.4 4.5	32.4 24.1	

MASKED THRESHOLDS (dB SPL) Group: 160 dB 10X 1/M

MASKED THRESHOLDS O.150 0.200 0.300 0.4 dB) 5 57.5 62.5 47.5 42 2) 72.5 67.5 62.5 52.5 42 2) 72.5 67.5 62.5 37 2) 62.5 57.5 47.5 47 9) 63.3 62.5 57.5 42.5 37 9) 63.3 62.5 57.5 42.5 37 1B) 5 72.5 72.5 67.5 52.5 42 1B) 6 72.5 72.5 67.5 52.5 52 1B) 6 72.5 72.5 67.5 52.5 52 1B) 6 72.5 72.5 67.5 52.5 52 1 67.5 62.5 52.5 52 1 67.5 67.5 62.5 52 1 67.5 67.5 52.5 52 1 58.3 66.7 55.8 50	SPL) Group: 160 dB 10x 1/M	lency: 0.5 kHz	0.520 0.600 0.650 0.750 1.300 2.200		.5 27.5 27.5 37.5 72.5 92	.5 32.5 82.5 87	.5 27.5 27.5 32.5 72.5 95	.5 37.5 37.5 42.5 67.5 95	.5 27.5 17.5 27.5 52 87	.5 22	.2 28.3 28.3 33.3 65.0 80	8.8 4.9 6.6 5.8 14.7 6.6	-Exposure	.5 42.5 42.5 42.5 67 5 87	.5 32.5 37.5 57.5 87.5 87	.5 32.5 32.5 37.5 47.5 82	.5 42.5 47.5 47.5 67.5 05	10. 10.	.5 32.5 32.5 32.	40.8 35.0 35.8 40.8 65.0 07.5
0.150 (dB) (52.5 (1) 62.5 (2) 72.5 (3) 72.5 (4) 72.5 (5) 72.5 (6) 52.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5 (7) 62.5		Probe Frequency:	0.400	Pre-Exposure	.5 42.5 32.	.5 42.5 37.	.5 52.5 37.	.5 47.5 47.	.5 32.5 27.	.5 37.5 22.	.0 42.5 34	.9 7.1 8	Post-Exposure	5 57.5 47.	5 42.5 37.	5 52.5 37.	5 57.5 47.	5 37.5 32.	5 52.5 42.	.8 50.0
5 1 000141 01 H H01-04 1-6	MASKED I		.150 0.200	(Q-10 dB)	57.5	72.5	72.5	72.5	52.5	62.5	29) 63.3 62.	.7 0.8 (60	(Q-10 dB)	.26) 72.5 72.5	.20) 62.5 67.5	.17) 67.5 62.5	.49) 77.5 72.5	.05) 62.5 57.5	.68) 6/.5 67.5	58.3

MASKED THRESHOLDS (dB SPL) Group: 160 dB 10X 1/M

kHz
1.0
Frequency:
Probe

					1									1	
2.500		87.5	95.0*	87.5 87.5	85.0	9.5		87.5	72.5	95.0*	77.5	77.5	72.5	80.4	0.6
1.900		85.0* 52.5	62.5	57.5 62.5	1 60	11.2		•	•		57.5			61.7	11.6
1.700				42.5		10.4					57.5			54.2	5.2
1.300				27.5		6.5		•			37.5			35.0	9.4
1.050	a.	22.5			24.2	4.1	ø		•		32.5			30.8	თ თ
0.800	Pre-Exposure	32.5	• 1		28.3	9.9	Post-Exposure	•	•	•	27.5		•	33.3	9.5
0.550	Pre-	52.5 42.5			45.0	4.2	Post	•		•	47.5		•	48.3	9.9
0.400		57.5 52.5			53.3	11.1		52.5	67.5	67.5	62.5	52.5	57.5	60.0	φ.
0.200		72.5	72.5	67.5	72.5			67.5	77.5	77.5	2.5	0.70 1.01	72.5	71.7	ည့်ထ
0.150	_	72.5	72.5	67.5	71.7	χ. Σ		77.5	 	82.5	7.55	0.77	6/.5	75.0	7.0
(kHz):	Animal (Q-10 dB	(2.55)	(1.65)	(1.92) (1.92)	(1.66)	(75.0)	Animal (Q-10 dB)	(1.48)	(0.85)	(1.53)	(1.26)	1.04)	(16.0)	(1.32)	110.0 1
Masker (kHz):	Animal	1714	1778	1785	Mean		Animal (1714	1704	1770	1770	1705	C0/T	Mean	
				1											

MASKED THRESHOLDS (dB SPL) Group: 160 dB 10X 1/M

Probe Frequency: 2.0 kHz

			ł		ŧ
4.000		92.5 82.5 95.0 87.5 72.5	87.5 8.8		77.5 37.5 37.5 95.0* 72.5 67.5
3.500		87.5 47.5 72.5 85.0* 47.5	65.4		62.5 62.5 62.5 62.5 42.5 14.3
3.000		82.5 37.5 62.5 42.5	50.8		52.5 32.5 52.5 42.5 27.5 37.5 40.8
2.200		42.5 37.5 37.5 37.5 37.5	38.3		32.5 27.5 22.5 22.5 27.5 33.3
2.050	a u	37.5 27.5 37.5 37.5 27.5 22.5	29.2	ē.	27.5 27.5 32.5 22.5 22.5 22.5 26.3
1.700	Pre-Exposure	42.5 47.5 52.5 27.5 42.5	8.04 8.02 8.03	Fost-Exposure	37.5 37.5 37.5 42.5 7.5 32.5 35.6
1.300	Pre	47.5 32.5 67.5 47.5 32.5 57.5	47.5	Fost	37.5 37.5 37.5 32.5 35.8 8.2
0.900		37.5 32.5 62.5 47.5 37.5	45.8 12.1		37.5 42.5 37.5 52.5 42.5 5.5 5.5
0.750		42.5 42.5 72.5 52.5 62.5	52.5 12.6		42.5 47.5 52.5 52.5 57.5 47.5 50.0
0.300	_	57.5 77.5 82.5 82.5 77.5	77.5	_	72.5 82.5 77.5 52.5 74.2
(kHz):	(Q-10 dB)	(1.20) (1.49) (6.88) (5.24) (1.02) (7.27)	(3.85) (2.95)	Animal (Q-10 dB)	(3.02) (2.86) (2.59) (1.58) (5.01) (2.36) (1.15)
Masker (kHz):	Animal	1714 1764 1776 1778 1779 1779	Mean S.D.	Animal	1714 1764 1776 1778 1779 1785 1785 1785

MASKED THRESHULDS (dB SFL) Group: 160 dB 10X 1/M

kHz	
). O	
,	
Frequency:	
Proce	

	67.5 87 67.5 77 47.5 47	68.3 15.6
		55.0
	47.5 37.5 42.5	40.0
	37.5 32.5	26.7
4.10 12.77 27.27 17.17 17.17 11.11	22.5 12.5 12.5	14.2
	42.5 17.5 22.5	23.3
	37.5 37.5 ***	38.5
	42.5 67.5 52.5	56.7 8.6
1.300 52.5 47.5 67.5 67.5 8.2 8.2 8.2 8.2 52.5	47.5 52.5 52.5	50.8
0.0 777 882 882 775 882 775 877	67.5 72.5 77.5	74.2
Masker (kHz): Animal (Q-10 dB) 1714 (3.62) 1764 (3.49) 1776 (4.10) 1778 (2.33) 1779 (4.76) 1785 (2.61) Mean (3.49) S.D. (0.91) Animal (Q-10 dB) 1714 (8.09) 1764 (3.95) 1776 (5.06)	(2.91) (3.88) (5.16)	(4.84) (1.80)
Masker (kHz): Animal (Q-10 of 1714 (3.6) 1764 (3.4) 1776 (4.1) 1778 (2.3) 1779 (4.7) 1779 (4.7) 1779 (4.7) 1779 (3.4) S.D. (0.9) Animal (Q-10 of 1776 (5.06) 1776 (5.06)	1778 1779 1785	Mean S.D.

MASKED THRESHOLDS (dB SF!) Group: 160 dB 10X 1/M

Probe Frequency: 8.0 kHz


ter	Masker (kHz):	0.450	1.300	2.500	5.900	7.000	8.100	9.300	11.000	12.700	14.000
'snima}	(Q-10 dB)	<u>(</u>			Pre-	Pre-Exposure					
1714 1764 1776 1778 1779 1779	(3.52) (4.15) (4.15) (1.71) (2.38) (3.52)	82.5 82.5 95.0* 87.5	57.75 5.77 5.75 5.75 5.75 5.75	57.55 57.55 62.55 62.55	37.5 27.5 42.5 37.5 47.5	32.5 22.5 42.5 37.5 42.5	37.5 12.5 27.5 37.5 32.5	47.5 37.5 32.5 32.5 42.5	62.5 42.5 57.5 67.5 67.5	82.5 70.5 57.5 87.5 87.5	87.5 67.5 77.5 87.5 95.0*
Mean S.D.	(2.85)	85.4 6.0	60.0	60.8 2.6	36.3	35.0 7.6	29.2 9.3	36.7 8.6	56.7	72.1 14.5	83.5 9.7
Aníral	(Q-10 dB)	_			Post	Post-Exposure	ø				
1714 1764 1776 1778 1779 1779	(2.29) (2.65) (2.08) (1.50) (2.58) (3.05)	82.5 72.5 95.0* 87.5 82.5 95.0*	57.5 62.5 62.5 62.5 67.5	52.5 67.5 67.5 57.5 67.5	42.5 42.5 42.5 42.5	27.5 12.5 32.5 27.5 37.5	27.5 12.5 37.5 37.5 32.5	37.5 27.5 37.5 42.5 57.5	52.5 32.5 62.5 57.5 67.5	77.5 87.5 85.0* 72.5 57.5	882. 882. 987.0 95.0 95.0
Mean S.D.	(2.36) (0.54)	85.8 8.6	60.0	59.2 6.8	40.0	30.0 10.4	28.3	38.3	55.0	71.3	87.1 10.9

MASKED THRESHOLDS (dD 3PL) Group: 160 dB 10X 1/M

Probe Frequency: 11.2 kHz


Į.	1
16.000 72.5 57.5 87.5 82.5 95.0* 14.5 77.5 52.5 95.0* 87.5 95.0*	82.5 16.0
14.500 62.5 47.5 62.5 72.5 72.5 65.0 9.9 62.5 42.5 72.5 85.0**	67.1
13.000 47.5 22.5 42.5 62.5 52.5 52.5 37.5 37.5 37.5 52.5 52.5	46.7
32.5 32.5 17.5 37.5 42.5 42.5 38.3 13.2 37.5 47.5 47.5	39.2
11.500 32.5 32.5 47.5 34.2 12.1 12.1 12.1 12.5 42.5 42.5 42.5 42.5 42.5 42.5	36.7
Pre-Exposure5 32.55 42.55 42.55 42.55 42.57 40.00 8.8 Post-Exposure5 37.55 32.55 47.55 47.5	38.3
9.000 Pre- 52.5 37.5 62.5 52.5 52.5 52.5 8.0 Post 47.5 32.5 57.5 57.5	51.7
7.000 33.5 62.5 57.5 62.5 57.5 8.9 8.9 52.5 52.5 52.5 52.5 57.5	53.3
4.000 4.000 57.5 52.5 52.5 57.5 51.7 5.8 5.8 52.5 62.5 62.5 62.5	55.0
1.000 67.5 67.5 67.5 72.5 72.5 72.5 72.5 72.5 5.8 5.8 5.8 77.5 77.5	71.7
Masker (kHz): Animal (Q-10 dB 1714 (4.06) 1764 (6.27) 1776 (5.75) 1779 (4.53) 1785 (2.75) Mean (4.28) S.D. (1.58) S.D. (1.58) 1764 (4.53) 1776 (4.70) 1776 (4.70) 1778 (3.15) 1778 (3.15) 1778 (3.15) 1778 (4.24)	(3.77)
Masker (kHz): Animal (Q-10 d 1714 (4.06 1764 (6.27 1776 (5.75 1778 (2.30 1779 (4.53 1779 (4.53 1714 (3.44 1776 (4.53 1776 (4.70 1776 (4.53 1776 (4.70 1778 (3.15 1778 (3.15 1778 (3.15 1778 (4.70	Mean S.D.
1	

The Group Mean Recovery Curves
Measured at Three Test Frequencies




The Group Mean Fermanent Threshold Shift (PTS)


for all Test Frequencies





The Pre and Postexposure Tuning Curves for Individual Animals in this Exposure Group.


The solid symbol represents the threshold of the probe tone.
































SHOCK TUBE EXPOSURE 160 dB 2 10X, 1/MIN

TOTAL NUMBER OF COCHLEAR SENSORY CELLS MISSING

ANIMAL NUMBER	INNER HAIR CELLS	1ST ROW OUTER HAIR CELLS	2ND ROW OUTER HAIR CELLS	3RD ROW OUTER HAIR CELLS	TOTAL OUTER HAIR CELLS
R1714R	14	86	65	136	287
R1764R	42	569	515	178	1262
R1776R	41	65	99	128	292
R1778F	11	59	161	176	396
R1779R	20	100	89	115	304
R1785R	32	104	114	143	361
GROUP MEAN S.D.	27 14				484 384

TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND LENGTHS OF THE COCHLEA CENTERED AT THE FREQUENCIES INDICATED

OCTAVE CENTE FREQUE	ir .	INNER HAIR CELLS	OUTER HAIR CELLS
GROUP MEANS			
2 4 8	kHz	2.3 1.7 3.5 4.0 4.8 2.8 6.2 1.3	62.2 44.5 45.0 98.2 139.3 45.2 28.2 18.7
STANDERD DEVIATIONS			
2 4	kHz		22.1 25.8 33.4 124.7 259.5 35.8 26.1 11.8


TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND FREQUENCIES


	INNER HAIR CELLS	1st ROW OUTER HAIR CELLS	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIR CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS
CHINCHILL	A R1714F	R					
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	1 2 4 0 4 1 1	12 8 13 11 12 16 15	12 9 1 17 12 0 7	49 13 8 22 23 13 2 6	73 30 22 50 47 23 24	0 0 0 0 2 0 2	0 0 0 0 1 0 0
TOTALS	14	86	65	136	287	4	2
CHINCHILL	A R1764k						
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHs	4 0 3 17 11 5 1	6 1 23 195 319 23 1	20 6 10 142 284 52 0	37 23 9 12 65 20 6	23 30 42 349 668 95 7 8	0 0 2 0 2 0 0 0	0 0 2 1 3 0 0
TOYALS	42	569	515	178	1262	4	6
CHINCHILLA	A R1776R						
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 3 kHz 16 kHz	4 1 4 0 3 5 23 1	16 11 3 5 16 5 2	28 8 11 25 16 9 3 4	36 19 5 21 21 9 3 9	80 38 19 46 53 23 16 15	1 1 0 0 0 0 0 0	3 1 0 0 1 1 1 0
					باديد	L	•


TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND FREQUENCIES


		INNER HAIR CELLS	1st ROW OUTER HAIR CELLS	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIL CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS		
CHINCHILLA R1778R										
1 2 4 8	kHz kHz kHz kHz kHz kHz kHz kHz	3 0 1 1 3 3 0	4 10 11 14 10 5 3 2	19 18 50 53 10 7 4	34 67 48 13 6 4 0	57 95 109 80 26 16 7	0 0 0 0 0 0	0 0 1 0 1 0 0		
TOT	ALS	11	59	161	176	396	0	2		
CHI	CHINCHILLA R1779R									
2 4 8	kHz	1 4 2 0 0 8 1	7 6 6 2 3 24 19 24	3 10 8 2 3 3 33 25 3	11 11 15 10 3 30 31 2	21 27 29 14 9 87 75 29	0 0 0 0 0 0 0 3	0 2 0 0 2 3 3		
TOTA	ALS	20	100	89	115	304	3	10		
CHINCHILLA R1785R										
2 4 8	kHz	1 3 5 4 8 3 4	14 14 16 16 12 13 11	18 12 20 17 13 5 15	4? 21 13 17 8 9 14	79 47 49 50 33 27 40 36	1 0 1 0 0 1 1 1	0 1 3 0 0 0 1		
TOTA	LS	32	104	114	143	361	4	5		

Cochleograms and PTS Audiograms
for Individual Animals









Summary Data for the Group Exposed to:

160 dB, 100X, 1/M

Animal # 1698 - Completed the Entire Protocol 1775 - Completed the Entire Protocol 1782 - Completed the Entire Protocol 1787 - Completed the Entire Protocol 1817 - Completed the Entire Protocol

160 dB 100x 1/M

PRE-EXPOSURE THRESHOLDS (dB SPL)

Animal\kH	z 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1698	17.5	10.8	15.8	14.2	24.3	34.2	****
1775	12.5	5.8	14.2	9.2	29.2	22.5	****
1782	22.5	19.2	25.8	12.5	27.5	34.2	****
1787	14.2	4.2	-1.7	-9.2	7,5	10.8	****
1817	30.8	22.5	24.2	10.8	19.2	29.2	****
Mean	19.5	12.5	15.7	7.5	21.5	26.2	****
s.d.	7.4	8.1	10.9	9.5	8.7	9.8	****

POST-EXPOSURE THRESHOLDS (dB SPL)

Animal\kHz 0.5			1.0	2.0	4.0	8.0	11.2	16.0
	1698	25.8	14.2	39.2	32.5	50.8	65.8	****
	1775	19.2	9.2	17.5	20.8	24.2	25.8	****
	1782	29.2	44.2	45.8	22.5	32.5	47.5	****
	1787	32.5	20.5	11.5	4.5	34.5	37.5	****
	1817	30.8	24.2	29.2	17.5	27.5	27.5	****
	Mean	27.5	22.4	28.6	19.6	33.9	40.8	****
	S.D.	5.3	13.4	14.4	10.1	10.3	16.5	****

PERMANENT THRESHOLD SHIFT (dB)

Animal\kH	Iz 0.5	1.0	2.0	4.0	8.0	11.2	16.0
1698	8.3	3.3	23.3	18.3	26.7	31.7	****
1775	6.7	3.3	3.3	11.7	-5.0	3.3	****
1782	6.7	25.0	20.0	10.0	5.0	13.3	****
1787	18.3	16.3	13.2	13.7	27.0	26.7	****
1817	0.0	1.7	5.0	6.7	8.3	-1.7	****
Mean	0.3	9.9	13.0	12.1	12.4	14.7	****
S.D.	6.6	10.3	8.9	4.3	14.1	14.4	****

160 db 100x 1/M
TEMPORARY THRESHOLD SHIFT (dB)

	Fr	equency	0.5	kHz			
Animal\Hr	0	2	8	24	240	Max	
1775	10.0 55.0 50.0 8.3 6.7	10.0 70.0 60.0 3.3 1.7	20.9 55.0 60.0 3.3 11.7	10.0	5.0 0.0 -5.0 3.3 -3.3	20.0 70.0 60.0 8.3 11.7	
	30.0 29.7	29.ü 33.2	30.0 25.9		0.0 4.3	34.0 28.8	
	Fr	equency	2.0	kHz			
Animal\Hr	0	2	8	24	240	Max	
1775 6 1782 6 1787 3	31.7 58.3 51.7 24.2 18.3	14.2	6.7 68.3 61.7 9.2 18.3	43.3	1.7 8.3 11.7 4.2 3.3	24.2	
	10.8 22.7	36.8 28.6	32.8 29.8	26.8 22.7	5.8 4.1	42.8 23.1	
	Fr	equency	8.0	kHz			
Animal\Hr	0	2	8	24	240	Max	
1775 ! 1782 6 1787 :	43.3 58.3 50.0 35.0 58.3	25.0	18.3 48.3 60.0 25.0 53,3	18.3 55.0	13.3 -1.7 5.0 5.0 -1.7	45.3 58.3 60.0 35.0 68.3	
	53, Ú 13.5	43.0 19.8	11.0 18.3	28.0 15.3	4.0 6.2	53.0 13.5	

MASKED THRESHOLDS (dB 3PL) Group: 160 dB 100X 1/M

kHz
0.5
Frequency:
Frope

		1		!
2.200	67.5 67.5 67.5 95.0 95.0 4	77.5	52.5 77.5 82.5 95.0*	80.5
1.300	47.5 52.5 47.5 77.5	61.5	37.5 52.5 67.5 77.5	58.5 15.2
0.750	37.5 42.5 42.5 42.5	37.5	22.5 32.5 47.5 37.5	38.5
0.650	32.5 22.5 37.5 37.5 37.5	31.5	17.5 27.5 42.5 47.5 32.5	33.5 11.9
0.600	12.5 17.5 27.5 37.5	23.5	12.5 22.5 32.5 37.5 37.5	28.5 10.3
00 0.520 Pre-Exposure	17.5 22.5 22.5 37.5	.5 28.5 .4 10.8 Post-Exposure	22.5 27.5 42.5 55.0*	37.0 12.8
0.400 Pre-	27.5 32.5 32.5 47.5 62.5	40.5 14.4 Post	37,5 37.5 42.5 57.5 52.5	45.5 9.1
0.300	42.5 47.5 47.5 62.5	48.5	32.5 47.5 57.5 75.0*	55.0 16.0
0.200	52.5 62.5 57.5 72.5	61.3 7.4	57.5 62.5 67.5 57.5	64.5 8.4
0.150	62.5 62.5 62.5 67.5	66.5	62.5 62.5 67.5 67.5 67.5	71.0
Masker (kHz): Animal (Q-10 dB	(3.57) (2.48) (2.32) (2.94) (1.89)	Mean (2.64) S.D. (0.64) Animal (Q-10 dB)	(2.62) (2.35) (4.65) (6.19) (1.69)	(3.44) (1.91)
Masker Animal	1698 1775 1782 1787 1817	Mean S.D. Animal (1698 1775 1782 1787 1817	Mean S.D.

MASKED THRESHOLDS (dB SPL) Group: 160 dB 100X 1/M

Probe Frequency: 1.0 kHz

Masker	Masker (kHz):	0.150	0.200	0.400	0.550	0.800	1.050	1.300	1.700	1.900	2.500	
Animal	Animal (Q-10 dB)	~			Pre-	Pre-Exposure	a)					
1698 1775	(0.92) (1.84)	72.5	67.5	52.5	32.5 42.5			. ,		• •	72.5	
1782 1787	- -	62.5 72.5	57.5 77.5		37.5	32.5	22.5	32.5	47.72 7.72	47.5	67.00	
1817	~	82.5	82.5							^ •	97.5	
Mean S.D.	(1.38)	73.5	71.5	35.5 10.4	43.5	28.5	25.5	32.5	54.5	65.0	79.0	Į
))	•	•))	•	•		•	
Animal	Animal (Q-10 dB	_			Post	Post-Exposure	φ					
1698	(2.97)	72.5	67.5		•	•			•		82.5	
1775	(2.10)	72.5 82.5	72.5	57.5 2.1	47.5	27.5	17.5	27.5	57.5	62.5	72.5	
1787	(1.39)	87.7 87.5	92.5						•		72.5 102 F	
1817	(1.42)	77.5	77.5		•						82.5	
Mean	(1.87)	78.5	77.5	63.5	54.5	38.5	36.5	38.5	61.5	75.0	82.5	ł
•	77.7	}	r.	r. 01	7.01	T • / T	7.07	٠	٠	13°C	7.71	

MASKED THRESHOLDS (dB SPL) Group: 160 dB 100X 1/M

Probe Frequency: 2.0 kHz

4.000		77.5 82.5 67.5 95.0 87.5	82.0 10.4		67.5 82.5 90.0* 95.0* 95.0* 11.5
3.500		62.5 52.5 52.5 52.5	57.5		52.5 72.5 42.5 95.0* 85.0* 69.5 21.9
3.000		42.5 42.5 42.5 47.5	43.5		32.5 52.5 47.5 67.5 52.5 12.5
2.200		32.5 32.5 32.5 32.5 37.5	31.5		37.5 42.5 47.5 27.5 52.5 41.5 9.6
2.050	a v	22.5 17.5 22.5 32.5	23.5	qu	27.5 27.5 47.5 32.5 47.5 36.5
1.700	Pre-Exposure	22.5 27.5 32.5 32.5 52.5	33.5	Post-Exposure	32.5 27.5 47.5 47.5 60.0* 13.0
1.300	Pre-	42.5 32.5 37.5 42.5	37.5	Post	32.5 32.5 52.5 72.5 52.5 48.5
0.900		47.5 32.5 47.5 32.5 37.5	39.5 7.6		32.5 37.5 52.5 72.5 52.5 49.5
0.750		57.5 47.5 62.5 42.5	50.5 9.1		52.5 47.5 77.5 57.5 57.5 11.7
0.300		77.5 72.5 67.5 72.5 67.5	71.5		77.5 72.5 77.5 87.5 72.5 77.5
Masker (kHz):	Animal (Q-10 dB	(2.38) (4.57) (4.09) (2.59) (1.81)	(3.09) (1.18)	Animal (Q-10 dB)	(1.53) (1.36) (1.52) (4.87) (1.57) (2.17) (1.51)
Masker	Animal	1698 1775 1782 1787 1817	Mean S.D.	Animal (1698 1775 1782 1787 1817 Mecn S.D.
					į

MASKED THRESHOLDS (dB SPL) Group: 160 dB 100X 1/M

Probe Frequency: 4.0 kHz

•	•											
Masker	Masker (kHz):	0.450	1.300	2.200	3.000	3.500	4.100	4.500	2.000	5.600	000.9	
Animal	Animal (Q-10 dB	~			Pre-	Pre-Exposure						
1698 1775 1782 1787 1817	(2.73) (3.95) (3.07) (6.77) (3.49)	82.5 62.5 62.5 77.5	57.5 52.5 52.5 52.5	52.5 52.5 52.5 52.5 52.5	42.5 42.5 42.5 47.5	32.5 27.5 27.5 32.5	27.5 22.5 17.5 12.5 27.5	32.5 32.5 32.5 37.5	42.5 37.5 37.5 47.5	47.5 47.5 47.5 42.5	67.5 62.5 62.5 7	
Mean S.D.	(4.00)	74.5	54.5	50.5	42.5	28.5	21.5	32.5				
Animal	Animal (Q-10 dB)	_			Post	Post-Exposure	o					
1698 1775 1782 1782 1817	(23) (4.76) (2.33) (4.76) (3.65)	72.5 82.5 77.5 62.5	57.5 47.5 67.5 62.5 57.5	47.5 57.5 67.5 52.5 52.5	47.5 42.5 57.5 47.5	22.5 32.5 47.5 32.5	17.5 22.5 47.5 27.5 27.5	32.5 37.5 57.5 42.5	52.5 62.5 62.5 57.5	57.5 62.5 87.5 67.5	72.5 67.5 72.5 95.0*	
Mean S.D.	(3.95)	75.5 8.4	58.5	55.5 7.6	47.5	34.5	28.5	42.5	58.5	66.5	80.5	

MASKED THRESHOLDS (dB SPL) Group: 160 dB 100X 1/M

kНz
0
ထံ
Frequency:
rope


Masker	Masker (kHz):	0.450	1.300	2.500	5.900	7.000	8.100	9.300	11.000	12.700	14.000
Anima1	Animal (Q-10 dB	~			Pre-	Pre-Exposure	a.				
1698 1775 1782 1787 1817	(3.73) (3.88) (3.83) (5.59)	67.5 87.5 72.5 82.5	57.5 62.5 67.5 62.5	622.5 522.5 52.5 52.5 52.5	242.24 27.74 22.75 3.05	22.5 22.5 22.5 42.5 27.5	17.5 27.5 17.5 27.5	32.5 37.5 72.5 7.5	37.5 47.5 62.5 47.5	62.5 77.5 52.5 85.0*	72.5 87.5 67.5 97.5
Mean S.D.	(4.17)	77.5	61.5	54.5	43.5	27.5	19.5	32.5	48.5	68.0	80.5
Animal	Animal (Q-10 dB	<u>~</u>			Post	Post-Exposure	e.				
1698 1775 1782 1782 1787	(2.62) (1.84) (4.15) (4.31) (1.08)	82.5 82.5 97.5 72.5	72.5 57.5 57.5 82.5 67.5	67.5 57.5 62.5 62.5 52.5	57.5 37.5 52.5 57.5	42.5 27.5 42.5 62.5 32.5	27.7.5 27.5.5 27.5.5 27.5.5 27.5.5 27.5.5 27.5.5 27.5.5 27.5.5 27.5 27	22.5 37.5 37.5 67.5 5.5 5.5	62.05 95.05 62.05 62.05	77.5 \$2.5 47.5 95.0*	82.5 82.5 87.5 87.5
Mean S.D.	(2.80)	80.5	67.5 10.6	60.5	47.5	41.5	36.5	44.5	64.0	71.0	85.5

MASKED THRESHOLDS (dB SPL) Group: 160 dB 100X 1/M

Probe Frequency: 11.2 kHz


Masker	Masker (kHg):	1.000	4.000	7.090	9.000	11.000	11.500	12,000	13,000	14.500	16.000
Animal	Animal (Q-10 dB)	<u>~</u>			Pre	Pre-Exposure	a)				
1698 1775	(4.40) (5.85)	62.5	57.5		22.5				•		
1782		67.5	57.5	47.5	32.5	27.5	32.5	37.5	52.5	67.5	72.5
1817		67.5	52.5		52.5		. ,				
Mean S.D.	(5.08) (1.93)	68.5	52.5	48.5 9.6	38.5 11.9	28.5 12.9	31.8	21.5	40.5	55.5	72.5
Animal	Animal (Q-10 dB)	_			Post	PostExposure	9				
1698 1775	(3.67)	72.5							• •	77.5	72.5
1782 1787 1817	(2.95) (5.68) (17.22)	82.5 62.5 52.5	62.5 67.5 42.5	67.5 67.5 47.5	52,6 77.5 55.0*	47.5 42.5 42.5	47.5 42.5 27.5	57.5 47.5 42.5	67.5 62.5 32.5	67.5 85.0 ³ 37.5	72.5 95.0* 47.5
Mean 8.D.	(7.40)	71.5	58.5 9.6	60.5	60.0	43.5	39.5	49.5	23.5 13.9	66.0	72.0

The Group Mean Recovery Curves
Measured at Three Test Frequencies




The Group Mean Permanent Threshold Shift (PTS)


for all Test Frequencies





The Pre and Postexposure Tuning Curves for Individual Animals in this Exposure Group.


The solid symbol represents the threshold of the probe tone.


























SHOCK TUBE EXPOSURE 160 dB, 100X, 1/MIN

TOTAL NUMBER OF COCHLEAR SENSORY CELLS MISSING

ANIMAL NUMBER	INNER HAIR CELLS	1ST ROW OUTER HAIR CELLS	2ND ROW OUTER HA1R CF! LS	3RD ROW OUTER HAIR CELLS	TOTAL OUTER HAIR CELLS
R1698R	10	33	53	66	152
R1775R	24	201	202	203	606
R1782R	34	960	1104	833	2897
R1787R	15	53	69	145	267
R1817R	39	129	149	135	413
GROUP MEAN S.D.	24 12				367 1147

TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND LENGTHS OF THE COCHLEA CENTERED AT THE FREQUENCIES INDICATED

OCTAVE CENT FREQU	ER	INNER HAIR CELLS	OUTER HAIR CELLS
GROUP MEANS			
1 2 4 8		1.4 2.2 1.0 .6 7.6 3.0 7.0	61.8 60.6 53.2 176.0 235.8 118.8 133.4 26.2
STANDARD DEVIATIONS			
0.125 0.25 0.5 1 2 4 8	kHz	1.1 1.8 1.0 1.3 9.2 2.1 5.6 2.5	18.5 60.3 57.4 296.0 416.5 168.9 117.7 28.3

TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND FREQUENCIES

	INNER HAIR CELLS	1st ROW OUTER HAIR CELLS	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIR CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS
CHINCHIL	LA R16981	₹					
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	0 1 2 0 0 1 0 6	11 7 2 2 3 2 1 4	21 8 9 7 2 1 0 5	30 27 4 1 3 0 0	62 42 15 10 8 3 1 10	0 0 1 0 0 0 0	1 0 0 0 0 0 0 0
CHINCHIL	LA R17751	R					
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	1 4 0 0 4 4 10 1	10 12 2 23 47 49 54 4	24 7 17 40 45 13 49 7	28 13 10 27 53 16 49 7	62 32 29 90 145 78 152 18	0 0 0 0 4 7 13 0	0 0 0 0 7 0 16 0
TOTALS CHINCE .L	24 LA R1782	201 R	202	203	606	24	23
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	1 2 2 3 21 3 2	18 34 52 266 333 174 67	22 45 83 305 335 157 126 29	49 89 20 132 306 82 124 31	89 168 155 703 974 413 317 75	1 3 2 2 7 2 0 0	0 3 1 10 117 3 1
TOTALS	34	960	1104	833	2897	17	135

TOTAL SENSORY CELL LOSSES OVER OCTAVE BAND FREQUENCIES

	INNER HAIR CELLS	1st ROW OUTER HAIR CELLS	2nd ROW OUTER HAIR CELLS	3rd ROW OUTER HAIR CELLS	NET OUTER HAIR CELLS	INNER PILLAR CELLS	OUTER PILLAR CELLS
CHINCHILL	A R1787R						
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	2 0 1 0 0 1 11 0	6 8 3 4 2 4 23 2	14 6 10 3 6 26 0	39 22 25 29 3 1 23 2	59 34 34 43 8 11 72 4	0 0 0 0 0 0 2 0	0 0 0 0 0 0 6
CHINCHILL	A R1817R						
0.125 kHz 0.25 kHz 0.5 kHz 1 kHz 2 kHz 4 kHz 8 kHz 16 kHz	3 4 0 0 13 6 12	4 17 5 4 16 32 42 9	17 0 21 15 15 29 41	16 10 7 15 13 28 42 4	37 27 33 34 44 89 125 24	0 0 0 0 4 2 9	7 0 1 0 4 8 12
TOTALS	39	129	149	135	413	15	32

Cochleograms and PTS Audiograms for Individual Animals

